

PHPDOCX



Contents

Package create Procedural Elements	2
CreateDocx.inc	2
Package create Classes	3
Class CreateDocx	3
Class Constant NAMESPACEWORD	3
Class Constant SCHEMA_IMAGEDOCUMENT	3
Class Constant SCHEMA_OFFICEDOCUMENT	3
Var \$fileGraphicTemplate	3
Var \$GraphicTemplate	4
Var \$intIdWord	4
Var \$log	4
Constructor construct	4
Method addBreak	5
Method addFont	5
Method addFooter	5
Method addGraphic	6
Method addHeader	6
Method addImage	6
Method addLink	7
Method addList	7
Method addMathDocx	8
Method addMathEq	8
Method addParagraph	8
Method addTable	9
Method addTableContents	9
Method addText	9
Method addTitle	10
Method createDocx	10
Method fAddBreak	11
Method fAddFont	11
Method fAddFooter	11
Method fAddGraphic	12
Method fAddHeader	12
Method fAddImage	12
Method fAddLink	13
Method fAddList	13
Method fAddMathDocx	14
Method fAddMathEq	14
Method fAddParagraph	14
Method fAddTable	15
Method fAddTableContents	15
Method fAddText	15
Method fAddTitle	16

Method fCreateDocx	16
Method fSetFont	17
Method getXmlContentTypes	17
Method getXmlDocPropsApp	17
Method getXmlDocPropsCore	17
Method getXmlRels Rels	18
Method getXmlWordDocumentContent	18
Method getXmlWordEndnotes	18
Method getXmlWordFontTable	18
Method getXmlWordFooter1	18
Method getXmlWordHeader1	19
Method getXmlWordRelsDocumentRels	19
Method getXmlWordSettings	19
Method getXmlWordStyles	19
Method getXmlWordThemeTheme1	20
Method getXmlWordWebSettings	20
Method setDefaultFont	20
Method setEncodeUTF8	20
Method setLanguage	21
Method setXmlContentTypes	21
Method setXmlDocPropsApp	21
Method setXmlDocPropsCore	22
Method setXmlRelsRels	22
Method setXmlWordDocument	22
Method setXmlWordEndnotes	23
Method setXmlWordFontTable	23
Method setXmlWordFooter1	23
Method setXmlWordHeader1	24
Method setXmlWordRelsDocumentRels	24
Method setXmlWordSettings	24
Method setXmlWordStyles	25
Method setXmlWordThemeTheme1	25
Method setXmlWordWebSettings	25
Method destruct	26
Method toString	26
Package elements Procedural Elements	28
CreateChartRels.inc	28
CreateElement.inc	29
CreateExcelSharedStrings.inc	30
CreateExcelSheet.inc	31
CreateExcelTable.inc	32
CreateFontTable.inc	33
CreateFooter.inc	34
CreateFootnote.inc	35
CreateGraphic.inc	36
CreateHeader.inc	37
CreateImage.inc	38
CreateLink.inc	39
CreateList.inc	40

CreatePage.inc	41
CreateSettings.inc	42
CreateStyle.inc	43
CreateStyleTable.inc	44
CreateTable.inc	45
CreateTableContents.inc	46
CreateText.inc	47
CreateTheme1.inc	48
CreateWebSettings.inc	49
CreateXlsx.inc	50
TransformDoc.inc	51
Package elements Classes	52
Class CreateChartRels	52
Var \$ xml	52
Constructor __construct	52
Method createRelationship	53
Method generateRELATIONSHIP	53
Method generateRELATIONSHIPS	53
Method getInstance	54
Method __destruct	54
Method __toString	54
Class CreateElement	54
Class Constant MATHNAMESPACEWORD	55
Class Constant NAMESPACEWORD	55
Var \$ xml	55
Constructor __construct	55
Method cleanTemplate	55
Method cleanTemplateFirstRPR	55
Method generateANCHOR	56
Method generateAVLST	56
Method generateB	56
Method generateBCS	57
Method generateBLIP	57
Method generateBLIPFILL	57
Method generateCNVGRAPHICFRAMEPR	57
Method generateCNVPICPR	58
Method generateCNVPR	58
Method generateDOCPR	58
Method generateDRAWING	59
Method generateEFFECTEXTENT	59
Method generateEXT	59
Method generateEXTENT	60
Method generateFILLRECT	60
Method generateGRAPHIC	60
Method generateGRAPHICDATA	61
Method generateGRAPHICPRAMELOCKS	61
Method generateINLINE	61
Method generateJC	62
Method generateLINETO	62

Method generateLN	62
Method generateNOPROOF	63
Method generateNVPICPR	63
Method generateOFF	63
Method generateP	63
Method generatePIC	64
Method generatePOSITIONH	64
Method generatePOSITIONV	64
Method generatePOSOFFSET	65
Method generatePPR	65
Method generatePRSTDASH	65
Method generatePRSTGEOM	66
Method generatePSTYLE	66
Method generateQUITAR	66
Method generateR	67
Method generateRFONTS	67
Method generateRPR	67
Method generateRSTYLE	67
Method generateSCHEMECLR	68
Method generateSIMPLEPOS	68
Method generateSOLIDFILL	68
Method generateSPPR	69
Method generateSTART	69
Method generateSTRETCH	69
Method generateT	69
Method generateWRAPNONE	70
Method generateWRAPPOLYGON	70
Method generateWRAPSQUARE	70
Method generateWRAPTHROUGH	71
Method generateWRAPTOPANDBOTTOM	71
Method generateXfrm	71
Method destruct	71
Method toString	72
Class CreateExcelSharedStrings	72
Constructor construct	72
Method createExcelSharedStrings	72
Method generateSI	73
Method generateSST	73
Method generateT	73
Method getInstance	74
Method destruct	74
Method toString	74
Class CreateExcelSheet	74
Constructor construct	75
Method createExcelSheet	75
Method generateC	75
Method generateCOL	76
Method generateCOLS	76
Method generateDIMENSION	76

Method generatePAGEMARGINS	77
Method generatePAGESETUP	77
Method generateROW	77
Method generateSELECTION	78
Method generateSHEETDATA	78
Method generateSHEETFORMATPR	78
Method generateSHEETVIEW	79
Method generateSHEETVIEWS	79
Method generateTABLEPART	79
Method generateTABLEPARTS	80
Method generateV	80
Method generateWORKSHEET	80
Method getInstance	81
Method destruct	81
Method toString	81
Class CreateExcelTable	81
Constructor construct	82
Method createExcelTable	82
Method generateTABLE	82
Method generateTABLECOLUMN	82
Method generateTABLECOLUMNS	83
Method generateTABLESTYLEINFO	83
Method getInstance	84
Method destruct	84
Method toString	84
Class CreateFontTable	84
Var \$ xml	85
Constructor construct	85
Method createFont	85
Method generateCHARSET	85
Method generateFAMILY	86
Method generateFONT	86
Method generatePANOSE1	86
Method generatePITCH	87
Method generateSIG	87
Method getInstance	88
Method destruct	88
Method toString	88
Class CreateFooter	88
Constructor construct	89
Method createFooter	89
Method generateFLDSIMPLE	89
Method generateFTR	89
Method generateP	90
Method generatePTAB	90
Method generateR	90
Method getInstance	90
Method destruct	91
Method toString	91

Class CreateFootnote	91
Var \$init	91
Constructor construct	92
Method createDocumentFootnote	92
Method createFootnote	92
Method createInitFootnote	92
Method generateFOOTNOTE	93
Method generateFOOTNOTEREF	93
Method generateFOOTNOTEREFERENCE	93
Method generateP	94
Method generatePPR	94
Method generateR	94
Method generateSEPARATOR	95
Method generateSPACING	95
Method getInstance	95
Method destruct	95
Method toString	96
Class CreateGraphic	96
Class Constant NAMESPACEWORD	96
Var \$ xmlChart	96
Constructor construct	96
Method createCHARTXML	97
Method createDOCUEMNTXML	97
Method createGraphic	97
Method generateAUTO	98
Method generateAUTOTITLEDELETED	98
Method generateAXAXID	98
Method generateAXID	99
Method generateAXPOS	99
Method generateBARCHART	99
Method generateBARDIR	100
Method generateBODYPR	100
Method generateCAT	100
Method generateCATAX	100
Method generateCHART	101
Method generateCHARTSPACE	101
Method generateCROSSAX	101
Method generateCROSSBETWEEN	101
Method generateCROSSES	102
Method generateDATE1904	102
Method generateDEFRPR	102
Method generateDLBLS	103
Method generateDOCUMENTCHART	103
Method generateEXTERNALDATA	103
Method generateF	103
Method generateFIRSTSLICEANG	104
Method generateFORMATCODE	104
Method generateGROUPING	104
Method generateIDX	105

Method generateLANG	105
Method generateLAYOUT	105
Method generateLBLALGN	106
Method generateLBLOFFSET	106
Method generateLEGEND	106
Method generateLEGENDFONT	107
Method generateLEGENDPOS	107
Method generateLINECHART	107
Method generateLN	108
Method generateLSTSTYLE	108
Method generateMAJORGRIDLINES	108
Method generateNOFILL	108
Method generateNUMCACHE	108
Method generateNUMFMT	109
Method generateNUMREF	109
Method generateORDER	109
Method generateORIENTATION	109
Method generateOVERLAP	110
Method generatePIECHART	110
Method generatePLOTAREA	110
Method generatePLOTVISONLY	111
Method generatePT	111
Method generatePTCOUNT	111
Method generateRICH	112
Method generateSCALING	112
Method generateSER	112
Method generateSHAPE	112
Method generateSHOWPERCENT	113
Method generateSPPR	113
Method generateSTRCACHE	113
Method generateSTRREF	113
Method generateSTYLE	114
Method generateTICKLBLPOS	114
Method generateTITLE	114
Method generateTITLELAYOUT	115
Method generateTITLEP	115
Method generateTITLEPPR	115
Method generateTITLER	115
Method generateTITLERFONTS	115
Method generateTITLERPR	116
Method generateTITLET	116
Method generateTITLETX	117
Method generateTX	117
Method generateV	117
Method generateVAL	117
Method generateVALAX	118
Method generateVARYCOLORS	118
Method getInstance	118
Method getName	118

<u>Method getId</u>	118
<u>Method getXmlChart</u>	119
<u>Method setName</u>	119
<u>Method setId</u>	119
<u>Method setXmlChart</u>	120
<u>Method destruct</u>	120
<u>Method toString</u>	120
Class CreateHeader	120
Constructor <u>construct</u>	121
<u>Method createHeader</u>	121
<u>Method generateHDR</u>	121
<u>Method generateP</u>	122
<u>Method getInstance</u>	122
<u>Method destruct</u>	122
<u>Method toString</u>	122
Class CreateImage	122
Class Constant <u>CONSTWORD</u>	123
Class Constant <u>NAMESPACEWORD</u>	123
Class Constant <u>NAMESPACEWORD1</u>	123
Class Constant <u>NAMESPACEWORD2</u>	123
Class Constant <u>TAMBORDER</u>	123
Constructor <u>construct</u>	123
<u>Method createImage</u>	123
<u>Method getInstance</u>	124
<u>Method getName</u>	124
<u>Method getId</u>	124
<u>Method setName</u>	124
<u>Method setId</u>	125
<u>Method destruct</u>	125
<u>Method toString</u>	125
Class CreateLink	125
Constructor <u>construct</u>	126
<u>Method createLink</u>	126
<u>Method generateFLDCHAR</u>	126
<u>Method generateHYPERLINK</u>	127
<u>Method generateINSTRTEXT</u>	127
<u>Method generatePROFERR</u>	127
<u>Method generateR</u>	128
<u>Method generateRSTYLE</u>	128
<u>Method getFont</u>	128
<u>Method getInstance</u>	128
<u>Method getLink</u>	129
<u>Method getTitle</u>	129
<u>Method destruct</u>	129
<u>Method toString</u>	129
Class CreateList	130
Var \$data	130
Var \$font	130
Var \$list	130

<u>Var \$val</u>	131
<u>Constructor construct</u>	131
<u>Method addList</u>	131
<u>Method createList</u>	131
<u>Method generateILFO</u>	132
<u>Method generateILVL</u>	132
<u>Method generateLISTPR</u>	132
<u>Method generateNUMID</u>	133
<u>Method generateNUMPR</u>	133
<u>Method generatePSTYLE</u>	133
<u>Method getInstance</u>	134
<u>Method runArray</u>	134
<u>Method destruct</u>	134
<u>Method toString</u>	134
<u>Class CreatePage</u>	135
<u>Var \$ xml</u>	135
<u>Constructor construct</u>	135
<u>Method createPage</u>	135
<u>Method createSECTPR</u>	136
<u>Method generateBR</u>	136
<u>Method generateCOL</u>	136
<u>Method generateCOLS</u>	137
<u>Method generateDOCGRID</u>	137
<u>Method generatePageBreak</u>	137
<u>Method generatePGMAR</u>	138
<u>Method generatePGSZ</u>	138
<u>Method generateSECTIONSECTPR</u>	138
<u>Method generateSECTPR</u>	139
<u>Method generateTITLEPG</u>	139
<u>Method getInstance</u>	139
<u>Method destruct</u>	140
<u>Method toString</u>	140
<u>Class CreateSettings</u>	140
<u>Var \$ xml</u>	140
<u>Constructor construct</u>	141
<u>Method generateSettings</u>	141
<u>Method getInstance</u>	141
<u>Method destruct</u>	141
<u>Method toString</u>	141
<u>Class CreateStyle</u>	142
<u>Var \$ xml</u>	142
<u>Constructor construct</u>	142
<u>Method addStyle</u>	142
<u>Method addStyleTabla</u>	143
<u>Method createStyle</u>	143
<u>Method generateAUTOREDEFINE</u>	144
<u>Method generateB</u>	144
<u>Method generateBASEDON</u>	144
<u>Method generateBCS</u>	144

Method generateBOTTOM	144
Method generateCOLOR	145
Method generateCONTEXTUALSPACING	145
Method generateEL	145
Method generateICS	146
Method generateILVL	146
Method generateIND	146
Method generateKEEPLINES	147
Method generateKEEPNEXT	147
Method generateKERN	147
Method generateLEFT	148
Method generateLINK	148
Method generateNAME	148
Method generateNEXT	149
Method generateNUMPR	149
Method generateOUTLINELVL	149
Method generatePBDR	150
Method generatePBDR_BOTTOM	150
Method generatePPR	150
Method generateQFORMAT	150
Method generateRFONTS	151
Method generateRFONTS2	151
Method generateRIGHT	151
Method generateRPR	152
Method generateRPR_SPACING	152
Method generateRSID	152
Method generateSEMIHIDDEN	153
Method generateSHD	153
Method generateSPACING	153
Method generateSTYLE	154
Method generateSZ	154
Method generateSZCS	154
Method generateTABCENTER	155
Method generateTABRIGHT	155
Method generateTABS	155
Method generateTBLBORDERS	156
Method generateTBLBORDERS_BOTTOM	156
Method generateTBLBORDERS_INSIDEH	156
Method generateTBLBORDERS_INSIDEV	157
Method generateTBLBORDERS_LEFT	157
Method generateTBLBORDERS_RIGHT	158
Method generateTBLBORDERS_TOP	158
Method generateTBLCELLMAR	159
Method generateTBLIND	159
Method generateTBLPR	159
Method generateTBLSTYLECOLBANDSIZE	159
Method generateTBLSTYLEROWBANDSIZE	160
Method generateTCPR	160
Method generateTOP	160

<u>Method generateU</u>	161
<u>Method generateUIPRIORITY</u>	161
<u>Method generateUNHIDEWHENUSED</u>	161
<u>Method generateVERTALIGN</u>	162
<u>Method getInstance</u>	162
<u>Method destruct</u>	162
<u>Method toString</u>	162
<u>Class CreateStyleTable</u>	163
<u>Var \$ xml</u>	163
Constructor <u>construct</u>	163
Method <u>addStyleTable</u>	163
Method <u>generateSHD</u>	164
Method <u>generateTBLPR</u>	164
Method <u>generateTBLSTYLEPR</u>	164
Method <u>generateTCBORDERS</u>	165
Method <u>generateTCPR</u>	165
Method <u>getInstance</u>	165
Method <u>destruct</u>	165
Method <u>toString</u>	165
<u>Class CreateTable</u>	166
Constructor <u>construct</u>	166
Method <u>addList</u>	166
Method <u>createTable</u>	167
Method <u>generateGRIDCOLS</u>	167
Method <u>generateHMERGE</u>	167
Method <u>generateJC</u>	168
Method <u>generateP</u>	168
Method <u>generateSHD</u>	168
Method <u>generateTBL</u>	169
Method <u>generateTBLBORDERS</u>	169
Method <u>generateTBLBOTTOM</u>	169
Method <u>generateTBLCELLSPACING</u>	170
Method <u>generateTBLGRID</u>	170
Method <u>generateTBLINSIDEH</u>	170
Method <u>generateTBLINSIDEV</u>	171
Method <u>generateTBLLEFT</u>	171
Method <u>generateTBLLOOK</u>	171
Method <u>generateTBLOVERLAP</u>	172
Method <u>generateTBLPR</u>	172
Method <u>generateTBLRIGHT</u>	172
Method <u>generateTBLSTYLE</u>	173
Method <u>generateTBLTOP</u>	173
Method <u>generateTBLW</u>	173
Method <u>generateTC</u>	174
Method <u>generateTCPR</u>	174
Method <u>generateTCW</u>	174
Method <u>generateTR</u>	175
Method <u>generateTRPR</u>	175
Method <u>generateVMERGE</u>	175

<u>Method getInstance</u>	175
<u>Method destruct</u>	175
<u>Method toString</u>	176
<u>Class CreateTableContents</u>	176
<u>Var \$ xml</u>	176
<u>Constructor construct</u>	177
<u>Method createTableContents</u>	177
<u>Method generateFLDSIMPLE</u>	177
<u>Method getInstance</u>	177
<u>Method destruct</u>	178
<u>Method toString</u>	178
<u>Class CreateText</u>	178
<u>Class Constant IDTITLE</u>	179
<u>Constructor construct</u>	179
<u>Method createText</u>	179
<u>Method createTitle</u>	179
<u>Method generateB</u>	179
<u>Method generateBOOKMARKEND</u>	180
<u>Method generateBOOKMARKSTART</u>	180
<u>Method generateCOLOR</u>	181
<u>Method generateI</u>	181
<u>Method generateJC</u>	181
<u>Method generatePAGEBREAKBEFORE</u>	182
<u>Method generatePSTYLE</u>	182
<u>Method generateSZ</u>	182
<u>Method generateU</u>	183
<u>Method generateWIDOWCONTROL</u>	183
<u>Method generateWORDWRAP</u>	183
<u>Method getInstance</u>	184
<u>Method destruct</u>	184
<u>Method toString</u>	184
<u>Class CreateTheme1</u>	184
<u>Class Constant NAMESPACEWORD</u>	185
<u>Var \$ xml</u>	185
<u>Constructor construct</u>	185
<u>Method createTheme</u>	185
<u>Method generateACCENT1</u>	186
<u>Method generateACCENT2</u>	186
<u>Method generateACCENT3</u>	186
<u>Method generateACCENT4</u>	186
<u>Method generateACCENT5</u>	186
<u>Method generateACCENT6</u>	187
<u>Method generateALPHA</u>	187
<u>Method generateBEVELT</u>	187
<u>Method generateBGFILLSTYLELST</u>	188
<u>Method generateCAMERA</u>	188
<u>Method generateCLRSCHHEME</u>	188
<u>Method generateCS</u>	188
<u>Method generateDK1</u>	189

Method generateDK2	189
Method generateEA	189
Method generateEFFECTLST	190
Method generateEFFECTLST2	190
Method generateEFFECTSTYLE	190
Method generateEFFECTSTYLE2	190
Method generateEFFECTSTYLELST	190
Method generateEXTRACLRSCHEMELST	191
Method generateFILLSTYLELST	191
Method generateFILTORECT	191
Method generateFMTSCHEME	191
Method generateFOLHLINK	192
Method generateFONT	192
Method generateFONT2	192
Method generateFONT3	193
Method generateFONTSHEMA	193
Method generateGRADFILL	193
Method generateGRADFILL2	194
Method generateGS	194
Method generateGS2	194
Method generateGSLST	195
Method generateHLINK	195
Method generateLATIN	195
Method generateLIGHTRIG	196
Method generateLIN	196
Method generateLN	196
Method generateLN2	197
Method generateLNSTYLELST	197
Method generateLT1	197
Method generateLT2	197
Method generateMAYORFONT	198
Method generateMINORFONT	198
Method generateOBJECTDEFAULTS	198
Method generateOUTERSHDW	198
Method generatePATH	199
Method generatePRSTDASH	199
Method generateROT	199
Method generateSATMOD	200
Method generateSCENE3D	200
Method generateSCHEMECLR	200
Method generateSCHEMECLR2	201
Method generateSCHEMECLR3	201
Method generateSHADE	201
Method generateSOLIDFILL	202
Method generateSP3D	202
Method generateSRGBCLR	202
Method generateSRGBCLR2	202
Method generateSYSCLR	203
Method generateTHEMEELEMENTS	203

<u>Method generateTINT</u>	203
<u>Method generateTINT2</u>	204
<u>Method getInstance</u>	204
<u>Method destruct</u>	204
<u>Method toString</u>	204
<u>Class CreateWebSettings</u>	205
<u>Var \$ xml</u>	205
<u>Constructor construct</u>	205
<u>Method generateWebSettings</u>	205
<u>Method getInstance</u>	206
<u>Method destruct</u>	206
<u>Method toString</u>	206
<u>Class CreateXlsx</u>	206
<u>Constructor construct</u>	207
<u>Method addSharedStrings</u>	207
<u>Method addSheet</u>	207
<u>Method addTable</u>	208
<u>Method createXlsx</u>	208
<u>Method getInstance</u>	208
<u>Method destruct</u>	208
<u>Method toString</u>	209
<u>Class TransformDoc</u>	209
<u>Class Constant SCHEMA_IMAGEDOCUMENT</u>	209
<u>Class Constant SCHEMA_OFFICEDOCUMENT</u>	209
<u>Constructor construct</u>	209
<u>Method absoluteZipPath</u>	210
<u>Method cleanXHTML</u>	210
<u>Method generatePDF</u>	210
<u>Method generateXHTML</u>	210
<u>Method getFileName</u>	211
<u>Method getstrFile</u>	211
<u>Method getStrOutputFile</u>	211
<u>Method getStrXHTML</u>	211
<u>Method setstrFile</u>	211
<u>Method setStrOutputFile</u>	212
<u>Method setStrXHTML</u>	212
<u>Method validatorXHTML</u>	212
<u>Method destruct</u>	213
<u>Package loader Procedural Elements</u>	215
<u>AutoLoader.inc</u>	215
<u>Package loader Classes</u>	216
<u>Class AutoLoader</u>	216
<u>Method load</u>	216
<u>Method loadPDF</u>	216
<u>Appendices</u>	218
<u>Appendix A - Class Trees</u>	219
<u>elements</u>	219
<u>loader</u>	220

[create](#) 220

Package create Procedural Elements

CreateDocx.inc

Generate a DOCX file

- **Package** create
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** GPL

```
require_once dirname(__FILE__).'/AutoLoader.inc' [line 18]
```

Package create Classes

Class CreateDocx

[line 33]

Main class. Methods and vars to generate a DOCX file

- **Package** create
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea ProduCiones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateDocx::NAMESPACEWORD

= 'w' [line 35]

CreateDocx::SCHEMA_IMAGEDOCUMENT

=
'<http://schemas.openxmlformats.org/officeDocument/2006/relationships/image>' [line 36]

CreateDocx::SCHEMA_OFFICEDOCUMENT

=
'<http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument>' [line 38]

CreateDocx::\$fileGraphicTemplate

array = [line 59]

- **Access** public

CreateDocx::\$graphicTemplate

string = [line 53]

- **Access** public

CreateDocx::\$intIdWord

int = [line 47]

- **Static**
- **Access** public

CreateDocx::\$log

Logger = [line 66]

- **Static**
- **Access** public

Constructor **void** function CreateDocx::__construct([**\$extension** = 'docx']) *[line 364]*

Function Parameters:

- **string \$extension** File extension. Optional, docx as default

Construct

- **Access** public

void function CreateDocx::addBreak([*\$type* = "]) [line 734]

Function Parameters:

- *string* **\$type** Break type Values: 'line', 'page'

Add a break

- **Access** public

void function CreateDocx::addFont(*\$fonts*) [line 747]

Function Parameters:

- *array* **\$fonts** Fonts to add

Add a new font

- **Access** public

void function CreateDocx::addFooter([*\$dat* = ""], [*\$paramsFooter* = "]) [line 762]

Function Parameters:

- *string* **\$dat** Text to add
- *array* **\$paramsFooter** Parameters of footer Values: 'pager' (true, false), 'pagerAlignment' (left, right, false)

Add a footer

- **Access** public

void function CreateDocx::addGraphic(**\$dats**) [line 789]

Function Parameters:

- **array \$dats** Parameters of graphic Values: 'color' (1, 2, 3...), 'cornerP' (20, 30...), 'cornerX' (20, 30...), 'cornerY' (20, 30...), 'data' (array of values), 'font' (Arial, Times New Roman...), 'groupBar' (clustered, stacked), 'jc' (center, left, right), 'showPercent' (0, 1), 'sizeX' (10, 11, 12...), 'sizeY' (10, 11, 12...), 'textWrap' (0 (inline), 1 (square), 2 (front), 3 (back), 4 (up and bottom), 5 (clear)), 'title', 'type' (pieChart, barChart, colChart)

Add a graphic

- **Access** public

void function CreateDocx::addHeader([**\$text** = 'Header'], [**\$paramsHeader** = "]) [line 857]

Function Parameters:

- **string \$text** Text to add
- **array \$paramsHeader** Parameters of header

Add a header.

- **Access** public

void function CreateDocx::addImage([**\$dats** = "]) [line 882]

Function Parameters:

- **array \$dats** Image to add and paramaters to use Values: 'border'(1, 2, 3...),

'borderDiscontinuous' (0, 1), 'font' (Arial, Times New Roman...), 'jc' (center, left, right), 'name', 'scaling' (50, 100), 'sizeX' (10, 11, 12...), 'sizeY' (10, 11, 12...), spacingTop (10, 11...), spacingBottom (10, 11...), spacingLeft (10, 11...), spacingRight (10, 11...), 'textWrap' (0 (inline), 1 (square), 2 (front), 3 (back), 4 (up and bottom), 5 (clear))

Add an image

- **Access** public

void function CreateDocx::addLink([\$text = "], [\$textLink = "], [\$font = "], \$link) [line 941]

Function Parameters:

- **string \$text** Text to use as link
- **string \$link** URL link
- **string \$font** Type of font Values: 'Arial', 'Times New Roman'...
- **\$textLink**

Add a link

- **Access** public

void function CreateDocx::addList(\$datas, [\$paramsList = "]) [line 957]

Function Parameters:

- **array \$datas** Values of the list
- **array \$paramsList** Parameters to use Values: 'font' (Arial, Times New Roman...), 'val' (0 (clear, 1 (inordinate), 2(numerical))

Add a list

- **Access** public

`void function CreateDocx::addMathDocx($path) [line 970]`

Function Parameters:

- *string \$path* Path to a file with math eq

Convert a math eq to DOCX

- **Access** public

`void function CreateDocx::addMathEq($eq) [line 986]`

Function Parameters:

- *string \$eq* Math eq

Add an existing math eq to DOCX

- **Access** public

`void function CreateDocx::addParagraph($text, [$style = ""], [$align = ""]) [line 1000]`

Function Parameters:

- *string \$text* Text to add
- *string \$style* Style of the paragraph
- *string \$align* Align of the paragraph

Add a paragraph

- **Access** public

void function CreateDocx::addTable(\$datas, [\$parameters = ""]) [line 1020]

Function Parameters:

- **array \$datas** Values to add
- **array \$parameters** Parameters to use Values: 'border' (none, single, double), 'border_color' (ffffff, ff0000), 'border_spacing' (0, 1, 2...), 'border_sz' (10, 11...), 'font' (Arial, Times New Roman...), 'jc' (center, left, right), 'size_col' (1200, 1300...), 'TBLSTYLEval' (Cuadrculamedia3-nfasis1, Sombreadomedio1, Tablaconcuadrcula, TableGrid)

Add a table.

- **Access** public

void function CreateDocx::addTableContents([\$font = ""]) [line 1034]

Function Parameters:

- **string \$font** Set font type Values: 'Arial', 'Times New Roman'...

Add a table of contents (TOC)

- **Access** public

void function CreateDocx::addText(\$value, [\$style = ""]) [line 1054]

Function Parameters:

- **mixed \$value** Text or array of texts to add
- **array \$style** Style of text Values: 'b' (single), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both, center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off)

Add a text

- **Access** public

void function CreateDocx::addTitle(\$text, [\$style = "]) [line 1074]

Function Parameters:

- **string \$text** Text to add
- **array \$style** Style of title Values: 'b' (single), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both, center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off)

Add a title

- **Access** public

void function CreateDocx::createDocx(\$args[0], \$args[1]) [line 1091]

Function Parameters:

- **string \$args[0]** File name
- **string \$args[1]** Page style Values: 'bottom' (4000, 4001...), 'left' (4000, 4001...), 'orient' (landscape), 'right' (4000, 4001), 'titlePage' (1), 'top' (4000, 4001)

Generate a new DOCX file

- **Access** public

void function CreateDocx::fAddBreak([*\$type* = "]) [line 1266]

Function Parameters:

- *string* **\$type** Break type

Add a break

- **Deprecated**
- **Access** public

void function CreateDocx::fAddFont(*\$fonts*) [line 1280]

Function Parameters:

- *array* **\$fonts** Fonts to add

Add a new font

- **Deprecated**
- **Access** public

void function CreateDocx::fAddFooter([*\$dat* = "], [*\$paramsFooter* = "]) [line 1295]

Function Parameters:

- *string* **\$dat** Text to add
- *array* **\$paramsFooter** Parameters of footer

Add a footer

- **Deprecated**
- **Access** public

void function CreateDocx::fAddGraphic(**\$dats**) [line 1316]

Function Parameters:

- **array \$dats** Parameters of graphic

Add a graphic

- **Deprecated**
- **Access** public

void function CreateDocx::fAddHeader([**\$text** = 'Header'], [**\$paramsHeader** = '']) [line 1385]

Function Parameters:

- **string \$text** Text to add
- **array \$paramsHeader** Parameters of header

Add a header.

- **Deprecated**
- **Access** public

void function CreateDocx::fAddImage([**\$dats** = '']) [line 1404]

Function Parameters:

- *array \$datas* Image to add and paramaters to use

Add an image

- **Deprecated**
- **Access** public

void function CreateDocx::fAddLink([\$text = "], [\$textLink = "], [\$font = "], \$link) [line 1463]

Function Parameters:

- *string \$text* Text to use as link
- *string \$link* URL link
- *string \$font* Type of font
- *\$textLink*

Add a link

- **Deprecated**
- **Access** protected

void function CreateDocx::fAddList(\$datas, [\$paramsList = "]) [line 1478]

Function Parameters:

- *array \$datas* Values of the list
- *array \$paramsList* Parameters to use

Add a list

- **Deprecated**
- **Access** public

void function CreateDocx::fAddMathDocx(\$path) [line 1492]

Function Parameters:

- *string \$path* Path to a file with math eq

Convert a math eq to DOCX

- **Deprecated**
- **Access** public

void function CreateDocx::fAddMathEq(\$eq) [line 1509]

Function Parameters:

- *string \$eq* Math eq

Add an existing math eq to DOCX

- **Deprecated**
- **Access** public

void function CreateDocx::fAddParagraph(\$text, [\$style = ""], [\$align = ""]) [line 1524]

Function Parameters:

- *string \$text* Text to add
- *string \$style* Style of the paragraph
- *string \$align* Align of the paragraph

Add a paragraph

- **Deprecated**
- **Access** public

void function CreateDocx::fAddTable(\$datas, [\$parameters = "]) [line 1539]

Function Parameters:

- **array \$datas** Values to add
- **array \$parameters** Parameters to use

Add a table.

- **Deprecated**
- **Access** public

void function CreateDocx::fAddTableContents([\$font = "]) [line 1553]

Function Parameters:

- **string \$font** Set font type

Add a table of contents (TOC)

- **Deprecated**
- **Access** public

void function CreateDocx::fAddText(\$value, [\$style = "]) [line 1568]

Function Parameters:

- *mixed* **\$value** Text or array of texts to add
- *array* **\$style** Style of text

Add a text

- **Deprecated**
- **Access** public

void function CreateDocx::fAddTitle(\$text, [\$style = "]) [line 1583]

Function Parameters:

- *string* **\$text** Text to add
- *array* **\$style** Style of title

Add a title

- **Deprecated**
- **Access** public

void function CreateDocx::fCreateDocx(\$args[0]) [line 1597]

Function Parameters:

- *string* **\$args[0]** File name

Generate a new DOCX file

- **Deprecated**

- **Access** public

void function CreateDocx::fSetFont(\$font) [line 1739]

Function Parameters:

- *string \$font* The new font

Change the default font

- **Deprecated**
- **Access** public

void function CreateDocx::getXmlContentTypes() [line 462]

Getter

- **Access** public

void function CreateDocx::getXmlDocPropsApp() [line 502]

Getter

- **Access** public

void function CreateDocx::getXmlDocPropsCore() [line 522]

Getter

- **Access** public

void function CreateDocx::getXmlRels_Rels() [*line 482*]

Getter

- **Access** public

void function CreateDocx::getXmlWordDocumentContent() [*line 542*]

Getter

- **Access** public

void function CreateDocx::getXmlWordEndnotes() [*line 562*]

Getter

- **Access** public

void function CreateDocx::getXmlWordFontTable() [*line 582*]

Getter

- **Access** public

void function CreateDocx::getXmlWordFooter1() [*line 602*]

Getter

- **Access** public

void function CreateDocx::getXmlWordHeader1() [line 622]

Getter

- **Access** public

void function CreateDocx::getXmlWordRelsDocumentRels() [line 642]

Getter

- **Access** public

void function CreateDocx::getXmlWordSettings() [line 662]

Getter

- **Access** public

void function CreateDocx::getXmlWordStyles() [line 682]

Getter

- **Access** public

void function CreateDocx::getXmlWordThemeTheme1() [*line 702*]

Getter

- **Access** public

void function CreateDocx::getXmlWordWebSettings() [*line 722*]

Setter

- **Access** public

void function CreateDocx::setDefaultFont(\$font) [*line 1232*]

Function Parameters:

- *string* **\$font** The new font Values: 'Arial', 'Times New Roman'...

Change the default font

- **Access** public

void function CreateDocx::setEncodeUTF8() [*line 1242*]

Transform to UTF-8 charset

- **Access** public

void function CreateDocx::setLanguage([\$lang = 'en-US']) [line 1252]

Function Parameters:

- **\$lang** **\$lang** Locale: en-US, es-ES...

Change default language.

- **Access** public

void function CreateDocx::setXmlContentTypes(\$xmlContentTypes) [line 452]

Function Parameters:

- **\$xmlContentTypes**

Setter

- **Access** public

void function CreateDocx::setXmlDocPropsApp(\$xmlDocPropsApp) [line 492]

Function Parameters:

- **\$xmlDocPropsApp**

Setter

- **Access** public

void function CreateDocx::setXmlDocPropsCore(\$xmlDocPropsCore) [*line 512*]

Function Parameters:

- **\$xmlDocPropsCore**

Setter

- **Access** public

void function CreateDocx::setXmlRelsRels(\$xmlRelsRels) [*line 472*]

Function Parameters:

- **\$xmlRelsRels**

Setter

- **Access** public

void function CreateDocx::setXmlWordDocument(\$xmlWordDocument) [*line 532*]

Function Parameters:

- **\$xmlWordDocument**

Setter

- **Access** public

void function CreateDocx::setXmlWordEndnotes(\$xmlWordEndnotes) [/line 552]

Function Parameters:

- **\$xmlWordEndnotes**

Setter

- **Access** public

void function CreateDocx::setXmlWordFontTable(\$xmlWordFontTable) [/line 572]

Function Parameters:

- **\$xmlWordFontTable**

Setter

- **Access** public

void function CreateDocx::setXmlWordFooter1(\$xmlWordFooter) [/line 592]

Function Parameters:

- **\$xmlWordFooter**

Setter

- **Access** public

`void function CreateDocx::setXmlWordHeader1($xmlWordHeader) [line 612]`

Function Parameters:

- **\$xmlWordHeader**

Setter

- **Access** public

`void function CreateDocx::setXmlWordRelsDocumentRels($xmlWordRelsDocumentRels) [line 632]`

Function Parameters:

- **\$xmlWordRelsDocumentRels**

Setter

- **Access** public

`void function CreateDocx::setXmlWordSettings($xmlWordSettings) [line 652]`

Function Parameters:

- **\$xmlWordSettings**

Setter

- **Access** public

void function CreateDocx::setXmlWordStyles(\$xmlWordStyles) [line 672]

Function Parameters:

- **\$xmlWordStyles**

Setter

- **Access** public

void function CreateDocx::setXmlWordThemeTheme1(\$xmlWordThemeTheme) [line 692]

Function Parameters:

- **\$xmlWordThemeTheme**

Setter

- **Access** public

void function CreateDocx::setXmlWordWebSettings(\$xmlWordWebSettings) [line 712]

Function Parameters:

- **\$xmlWordWebSettings**

Setter

- **Access** public

void function CreateDocx::__destruct() [*line 430*]

Destruct

- **Access** public

string function CreateDocx::__toString() [*line 441*]

Magic method, returns current word XML

- **Access** public

Package elements Procedural Elements

CreateChartRels.inc

Create relationships used by images, charts...

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** GPL

```
include_once dirname(__FILE__).'/CreateElement.inc' [line 15]
```

CreateElement.inc

Create tag elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

CreateExcelSharedStrings.inc

Generate excel shared strings

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateExcelSheet.inc

Create excel sheet

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateExcelTable.inc

Create excel table

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateFontTable.inc

Create font table

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateFooter.inc

Create footer

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'/_CreateElement.inc' [line 15]
```

CreateFootnote.inc

Create footnote

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'/_CreateElement.inc' [line 15]
```

CreateGraphic.inc

Create graphics (charts)

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateHeader.inc

Create header

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'/CreateElement.inc' [line 15]
```

CreateImage.inc

Create images

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateLink.inc

Create links using text strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateList.inc

Create lists

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'/CreateElement.inc' [line 15]
```

CreatePage.inc

Create pages

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'/_CreateElement.inc' [line 15]
```

CreateSettings.inc

Create default settings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateStyle.inc

Create styles

- **Package** elements
- **Version** 2.1
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 16]
```

CreateStyleTable.inc

Create style table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateTable.inc

Create tables

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'CreateElement.inc' [line 15]
```

CreateTableContents.inc

Create table of contents

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateText.inc

Create text

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'/CreateElement.inc' [line 15]
```

CreateTheme1.inc

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateWebSettings.inc

Create default websettings XML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
include_once dirname(__FILE__).'./CreateElement.inc' [line 15]
```

CreateXlsx.inc

Create XLSX

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

TransformDoc.inc

Transform DOCX to PDF or XHTML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

```
require_once dirname(__FILE__).'./AutoLoader.inc' [line 18]
```

Package elements Classes

Class CreateChartRels

[line 29]

Create relationships used by images, charts...

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateChartRels::\$_xml

mixed = [line 36]

- **Access** protected

Constructor **void** function CreateChartRels::__construct() [line 49]

Construct

- **Access** public

void function CreateChartRels::createRelationship(*\$idChart*) [line 95]

Function Parameters:

- *int \$idChart*

Create relationship document to use in DOCX file

- **Access** public

void function CreateChartRels::generateRELATIONSHIP(*\$idChart*, [*\$id* = 1], *\$id.*) [line 109]

Function Parameters:

- *int \$idChart*
- *int \$id.* Optional, use 1 as default
- *\$id*

New relationship, added to relationships XML

- **Access** protected

void function CreateChartRels::generateRELATIONSHIPS() [line 126]

Main tags of relationships XML

- **Access** protected

CreateChartRels function CreateChartRels::getInstance() [line 81]

Singleton, return instance of class

- **Static**
- **Access** public

void function CreateChartRels::__destruct() [line 59]

Destruct

- **Access** public

string function CreateChartRels::__toString() [line 70]

Magic method, returns current XML

- **Access** public

Class CreateElement [line 28]

Main class, create tag elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>

- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateElement::MATHNAMESPACEWORD

= 'm' [line 30]

CreateElement::NAMESPACEWORD

= 'w' [line 31]

CreateElement::\$_xml

string = [line 38]

- **Access** protected

Constructor void function CreateElement::__construct() [line 45]

Construct

- **Access** public

void function CreateElement::cleanTemplate() [line 851]

Delete pending tags

- **Access** protected

void function CreateElement::cleanTemplateFirstRPR() [line 861]

Delete first w:rpr

- **Access** protected

```
void function CreateElement::generateANCHOR([$behindDoc = 0], [$distT = '0'], [$distB = '0'], [$distL = '114300'],  
[$distR = '114300'], [$simplePos = 0], [$relativeHeight = '251658240'], [$locked = 0], [$layoutInCell = 1],  
[$allowOverlap = 1]) [line 257]
```

Function Parameters:

- *string \$behindDoc*
- *string \$distT*
- *string \$distB*
- *string \$distL*
- *string \$distR*
- *int \$simplePos*
- *string \$relativeHeight*
- *string \$locked*
- *string \$layoutInCell*
- *string \$allowOverlap*

Generate w:anchor

- **Access** protected

```
void function CreateElement::generateAVLST() [line 778]
```

Generate w:avlst

- **Access** protected

```
void function CreateElement::generateB([$strVal = 'single'], $val) [line 144]
```

Function Parameters:

- *string \$val*
- *\$strVal*

Generate w:b

- **Access** protected

void function CreateElement::generateBCS() [line 157]

Generate w:bcs

- **Access** protected

void function CreateElement::generateBLIP([*\$cstate* = 'print']) [line 656]

Function Parameters:

- *string* **\$cstate**

Generate w:blip

- **Access** protected

void function CreateElement::generateBLIPFILL() [line 641]

Generate w:blipfill

- **Access** protected

void function CreateElement::generateCNVGRAPHICFRAMEPR() [line 510]

Generate w:cnvgraphicframepr

- **Access** protected

void function CreateElement::generateCNVPICPR() [line 627]

Generate w:cnvpicpr

- **Access** protected

void function CreateElement::generateCNVPR([*\$id* = '0']) [line 612]

Function Parameters:

- *string* **\$id**

Generate w:cnvpr

- **Access** protected

void function CreateElement::generateDOCPR([*\$id* = "1"], [*\$name* = "0 Imagen"]) [line 495]

Function Parameters:

- *string* **\$id**
- *string* **\$name**

Generate w:docpr

- **Access** protected

void function CreateElement::generateDRAWING() [*line 211*]

Generate w:drawing

- **Access** protected

void function CreateElement::generateEFFECTEXTENT([*\$I* = "19050"], [*\$t* = "0"], [*\$r* = "4307"], [*\$b* = "0"]) [*line 366*]

Function Parameters:

- *string \$I*
- *string \$t*
- *string \$r*
- *string \$b*

Generate w:effectextent

- **Access** protected

void function CreateElement::generateEXT([*\$cx* = '2997226'], [*\$cy* = '2247918']) [*line 747*]

Function Parameters:

- *string \$cx*
- *string \$cy*

Generate w:ext

- **Access** protected

void function CreateElement::generateEXTENT([*\$cx* = '2986543'], [*\$cy* = '2239906']) [line 348]

Function Parameters:

- *string* **\$cx**
- *string* **\$cy**

Generate w:extent

- **Access** protected

void function CreateElement::generateFILLRECT() [line 686]

Generate w:fillrect

- **Access** protected

void function CreateElement::generateGRAPHIC([*\$xmlns* = 'http://schemas.openxmlformats.org/drawingml/2006/main']) [line 547]

Function Parameters:

- *string* **\$xmlns**

Generate w:graphic

- **Access** protected

void function CreateElement::generateGRAPHICDATA([*\$uri* = 'http://schemas.openxmlformats.org/drawingml/2006/picture']) [*line 564*]

Function Parameters:

- *string* **\$uri**

Generate w:graphicdata

- **Access** protected

void function CreateElement::generateGRAPHICPRAMELOCKS([*\$noChangeAspect* = '']) [*line 526*]

Function Parameters:

- *string* **\$noChangeAspect**

Generate w:graphicframelocks

- **Access** protected

void function CreateElement::generateINLINE([*\$distT* = '0'], [*\$distB* = '0'], [*\$distL* = '0'], [*\$distR* = '0']) [*line 230*]

Function Parameters:

- *string* **\$distT**
- *string* **\$distB**
- *string* **\$distL**
- *string* **\$distR**

Generate w:inline

- **Access** protected

void function CreateElement::generateJC([*\$val* = "]) [line 129]

Function Parameters:

- *string* **\$val**

Generate w:jc

- **Access** protected

void function CreateElement::generateLINETO([*\$x* = '-198'], [*\$y* = '21342']) [line 478]

Function Parameters:

- *string* **\$x**
- *string* **\$y**

Generate w:lineto

- **Access** protected

void function CreateElement::generateLN([*\$w* = '12700']) [line 793]

Function Parameters:

- *string* **\$w**

Generate w:ln

- **Access** protected

void function CreateElement::generateNOPROOF() [*line 171*]

Generate w:noproof

- **Access** protected

void function CreateElement::generateNVPICPR() [*line 597*]

Generate w:nvpicpr

- **Access** protected

void function CreateElement::generateOFF([*\$x* = '0'], [*\$y* = '0']) [*line 730*]

Function Parameters:

- *string* **\$x**
- *string* **\$y**

Generate w:off

- **Access** protected

void function CreateElement::generateP() [*line 75*]

Generate w:p

- **Access** protected

void function CreateElement::generatePIC([*\$pic* = 'http://schemas.openxmlformats.org/drawingml/2006/picture']) [line 581]

Function Parameters:

- *string* **\$pic**

Generate w:pic

- **Access** protected

void function CreateElement::generatePOSITIONH([*\$relativeFrom* = 'column']) [line 301]

Function Parameters:

- *string* **\$relativeFrom**

Generate w:positionh

- **Access** protected

void function CreateElement::generatePOSITIONV([*\$relativeFrom* = 'paragraph']) [line 317]

Function Parameters:

- *string* **\$relativeFrom**

Generate w:positionv

- **Access** protected

void function CreateElement::generatePOSOFFSET(\$num) [line 333]

Function Parameters:

- *int* \$num

Generate w:posoffset

- **Access** protected

void function CreateElement::generatePPR() [line 87]

Generate w:ppr

- **Access** protected

void function CreateElement::generatePRSTDASH([*\$val* = 'sysDash']) [line 837]

Function Parameters:

- *string* \$val

Generate w:prstdash

- **Access** protected

void function CreateElement::generatePRSTGEOM([*\$prst* = 'rect']) [*line 763*]

Function Parameters:

- *string* **\$prst**

Generate w:prstgeom

- **Access** protected

void function CreateElement::generatePSTYLE([*\$val* = 'Textonotaalfinal']) [*line 884*]

Function Parameters:

- *string* **\$val**

Generate w:pstyle

- **Access** protected

void function CreateElement::generateQUITAR() [*line 871*]

Generate w:r

- **Access** protected

void function CreateElement::generateR() [line 185]

Generate w:r

- **Access** protected

void function CreateElement::generateRFONTS(\$font) [line 917]

Function Parameters:

- *string* \$font

Generate w:rfonts

- **Access** protected

void function CreateElement::generateRPR() [line 114]

Generate w:rpr

- **Access** protected

void function CreateElement::generateRSTYLE([*\$val* = 'Refdenotaalfinal']) [line 900]

Function Parameters:

- *string* \$val

Generate w:rstyle

- **Access** protected

void function CreateElement::generateSCHEMECLR([*\$val* = 'tx1']) [*line 823*]

Function Parameters:

- *string* **\$val**

Generate w:schemeclr

- **Access** protected

void function CreateElement::generateSIMPLEPOS([*\$x* = '0'], [*\$y* = '0']) [*line 285*]

Function Parameters:

- *string* **\$x**
- *string* **\$y**

Generate w:simplepos

- **Access** protected

void function CreateElement::generateSOLIDFILL() [*line 808*]

Generate w:solidfill

- **Access** protected

void function CreateElement::generateSPPR() [*line 700*]

Generate w:sppr

- **Access** protected

void function CreateElement::generateSTART([*\$x* = '-198'], [*\$y* = '0']) [*line 460*]

Function Parameters:

- *string* **\$x**
- *string* **\$y**

Generate w:start

- **Access** protected

void function CreateElement::generateSTRETCH() [*line 672*]

Generate w:stretch

- **Access** protected

void function CreateElement::generateT(*\$dat*) [*line 101*]

Function Parameters:

- *string* **\$dat**

Generate w:t

- **Access** protected

void function CreateElement::generateWRAPNONE() [line 398]

Generate w:wrapnone

- **Access** protected

void function CreateElement::generateWRAPPOLYGON([\$edited = '0']) [line 443]

Function Parameters:

- *string* **\$edited**

Generate w:wrappolygon

- **Access** protected

void function CreateElement::generateWRAPSQUARE([\$wrapText = "bothSides"]) [line 383]

Function Parameters:

- *string* **\$wrapText**

Generate w:wapsquare

- **Access** protected

void function CreateElement::generateWRAPTHROUGH([*\$wrapText* = 'bothSides']) [*line 427*]

Function Parameters:

- *string* **\$wrapText**

Generate w:wrapthrough

- **Access** protected

void function CreateElement::generateWRAPTOPANDBOTTOM() [*line 412*]

Generate w:wraptopandbottom

- **Access** protected

void function CreateElement::generateXFRM() [*line 714*]

Generate w:xfrm

- **Access** protected

void function CreateElement::__destruct() [*line 55*]

Destruct

- **Access** public

string function CreateElement::__toString() [line 65]

- **Access** public

Class CreateExcelSharedStrings [line 29]

Generate excel shared strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateExcelSharedStrings::__construct() [line 44]

Construct

- **Access** public

void function CreateExcelSharedStrings::createExcelSharedStrings(\$args[0], \$args[1]) [line 89]

Function Parameters:

- *string* **\$args[0]**
- *string* **\$args[1]**

Create excel shared strings

- **Access** public

void function CreateExcelSharedStrings::generateSI() [line 155]

Generate si

- **Access** protected

void function CreateExcelSharedStrings::generateSST(\$num) [line 142]

Function Parameters:

- *string \$num*

Generate sst

- **Access** protected

void function CreateExcelSharedStrings::generateT(\$name, [\$space = "]) [line 168]

Function Parameters:

- *string \$name*
- *string \$space*

Generate t

- **Access** protected

CreateExcelSharedStrings function CreateExcelSharedStrings::getInstance() [line 74]

- **Static**
- **Access** public

void function CreateExcelSharedStrings::__destruct() [line 54]

Destruct

- **Access** public

string function CreateExcelSharedStrings::__toString() [line 64]

- **Access** public

Class CreateExcelSheet [line 29]

Create excel sheet

- **Package** elements
- **Version** 1.0

- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor `void` function `CreateExcelSheet::__construct()` [*line 44*]

Construct

- **Access** public

`void` function `CreateExcelSheet::createExcelSheet($args[0], $args[1])` [*line 90*]

Function Parameters:

- *string* `$args[0]`
- *array* `$args[1]`

Create excel sheet

- **Access** public

`void` function `CreateExcelSheet::generateC($r, $s, [$t = "])` [*line 324*]

Function Parameters:

- *string* `$r`
- *string* `$s`
- *string* `$t`

Generate c

- **Access** protected

*void function CreateExcelSheet::generateCOL([**\$min** = '1'], [**\$max** = '1'], [**\$width** = '11.85546875'], [**\$customWidth** = '1']) [line 279]*

Function Parameters:

- *string* **\$min**
- *string* **\$max**
- *string* **\$width**
- *string* **\$customWidth**

Generate col

- **Access** protected

void function CreateExcelSheet::generateCOLS() [line 264]

Generate cols

- **Access** protected

*void function CreateExcelSheet::generateDIMENSION(**\$sizeX**, **\$sizeY**) [line 187]*

Function Parameters:

- *int* **\$sizeX**
- *int* **\$sizeY**

Generate dimension

- **Access** protected

```
void function CreateExcelSheet::generatePAGEMARGINS([$left = '0.7'], [$rigth = '0.7'], [$bottom = '0.75'], [$top = '0.75'], [$header = '0.3'], [$footer = '0.3']) [line 361]
```

Function Parameters:

- *string \$left*
- *string \$rigth*
- *string \$bottom*
- *string \$top*
- *string \$header*
- *string \$footer*

Generate pagemargins

- **Access** protected

```
void function CreateExcelSheet::generatePAGESETUP([$paperSize = '9'], [$orientation = 'portrait'], [$id = '1']) [line 381]
```

Function Parameters:

- *string \$paperSize*
- *string \$orientation*
- *string \$id*

Generate pagesetup

- **Access** protected

```
void function CreateExcelSheet::generateROW($r, $spans) [line 307]
```

Function Parameters:

- *string \$r*
- *string \$spans*

Generate row

- **Access** protected

void function CreateExcelSheet::generateSELECTION(*\$num*) [line 234]

Function Parameters:

- *string \$num*

Generate selection

- **Access** protected

void function CreateExcelSheet::generateSHEETDATA() [line 293]

Generate sheetdata

- **Access** protected

void function CreateExcelSheet::generateSHEETFORMATPR([*\$baseColWidth* = '10'], [*\$defaultRowHeight* = '15']) [line 249]

Function Parameters:

- *string \$baseColWidth*
- *string \$defaultRowHeight*

Generate sheetformatpr

- **Access** protected

void function CreateExcelSheet::generateSHEETVIEW([\$tabSelected = '1'], [\$workbookViewId = '0']) [line 218]

Function Parameters:

- *string \$tabSelected*
- *string \$workbookViewId*

Generate sheetview

- **Access** protected

void function CreateExcelSheet::generateSHEETVIEWS() [line 204]

Generate sheetviews

- **Access** protected

void function CreateExcelSheet::generateTABLEPART([\$id = '1']) [line 411]

Function Parameters:

- *string \$id*

Generate tablepart

- **Access** protected

void function CreateExcelSheet::generateTABLEPARTS([*\$count* = '1']) [line 397]

Function Parameters:

- *string* **\$count**

Generate tableparts

- **Access** protected

void function CreateExcelSheet::generateV(*\$num*) [line 343]

Function Parameters:

- *string* **\$num**

Generate v

- **Access** protected

void function CreateExcelSheet::generateWORKSHEET() [line 170]

Generate worksheet

- **Access** protected

CreateExcelSheet function CreateExcelSheet::getInstance() [line 75]

- **Static**
- **Access** public

void function CreateExcelSheet::__destruct() [line 54]

Destruct

- **Access** public

string function CreateExcelSheet::__toString() [line 64]

- **Access** public

Class CreateExcelTable [line 29]

Create excel table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor `void` function `CreateExcelTable::__construct()` [*line 44*]

Construct

- **Access** public

`void` function `CreateExcelTable::createExcelTable(0, 1)` [*line 89*]

Function Parameters:

- `string` **0** `args[0]`
- `string` **1** `args[1]`

Create excel table

- **Access** public

`void` function `CreateExcelTable::generateTABLE($rows, $cols)` [*line 128*]

Function Parameters:

- `int` **\$rows**
- `int` **\$cols**

Generate table

- **Access** protected

`void` function `CreateExcelTable::generateTABLECOLUMN([$id = '2'], [$name = ''])` [*line 163*]

Function Parameters:

- *string \$id*
- *string \$name*

Generate tablecolumn

- **Access** protected

void function CreateExcelTable::generateTABLECOLUMNS([*\$count* = '2']) [line 148]

Function Parameters:

- *string \$count*

Generate tablecolumns

- **Access** protected

void function CreateExcelTable::generateTABLESTYLEINFO([*\$showFirstColumn* = '0'], [*\$showLastColumn* = "0"], [*\$showRowStripes* = "1"], [*\$showColumnStripes* = "0"]) [line 182]

Function Parameters:

- *string \$showFirstColumn*
- *string \$showLastColumn*
- *string \$showRowStripes*
- *string \$showColumnStripes*

Generate tablestyleinfo

- **Access** protected

CreateExcelTable function CreateExcelTable::getInstance() [*line 74*]

- **Static**
- **Access** public

void function CreateExcelTable::__destruct() [*line 54*]

Destruct

- **Access** public

string function CreateExcelTable::__toString() [*line 64*]

- **Access** public

Class CreateFontTable [*line 29*]

Create font table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0

- License http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateFontTable::\$_xml

string = [line 36]

- **Access** protected

Constructor *void* function CreateFontTable::__construct() *[line 51]*

Construct

- **Access** public

void function CreateFontTable::createFont(*0*) *[line 96]*

Function Parameters:

- *array* **0** args[0]

Create font

- **Access** public

void function CreateFontTable::generateCHARSET([*\$val* = '00']) *[line 159]*

Function Parameters:

- *string* **\$val**

Generate w:charset

- **Access** protected

void function CreateFontTable::generateFAMILY([*\$val* = 'swiss']) [line 175]

Function Parameters:

- *string* **\$val**

Generate w:family

- **Access** protected

void function CreateFontTable::generateFONT([*\$name* = 'Calibri']) [line 127]

Function Parameters:

- *string* **\$name**

Generate w:font

- **Access** protected

void function CreateFontTable::generatePANOSE1([*\$val* = '020F0502020204030204']) [line 142]

Function Parameters:

- *string* **\$val**

Generate w:panose1

- **Access** protected

void function CreateFontTable::generatePITCH([*\$val* = '00']) [*line 192*]

Function Parameters:

- *string* **\$val**

Generate w:pitch

- **Access** protected

void function CreateFontTable::generateSIG([*\$usbA* = 'A00002EF'], [*\$usbB* = '4000207B'], [*\$usbC* = '00000000'], [*\$usbD* = '00000000'], [*\$csbA* = '0000009F'], [*\$csbB* = '00000000']) [*line 214*]

Function Parameters:

- *string* **\$usbA**
- *string* **\$usbB**
- *string* **\$usbC**
- *string* **\$usbD**
- *string* **\$csbA**
- *string* **\$csbB**

Generate w:sig

- **Access** protected

CreateFontTable function CreateFontTable::getInstance() [line 82]

- **Static**
- **Access** public

void function CreateFontTable::__destruct() [line 61]

Destruct

- **Access** public

string function CreateFontTable::__toString() [line 71]

- **Access** public

Class CreateFooter [line 29]

Create footer

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor `void` function `CreateFooter::__construct()` [*line 52*]

Construct

- **Access** public

`void` function `CreateFooter::createFooter(0, 1)` [*line 98*]

Function Parameters:

- `string` **0** `args[0]`
- `array` **1** `args[1]`

Create footer

- **Access** public

`void` function `CreateFooter::generateFLDSIMPLE()` [*line 204*]

Generate w:fldsimple

- **Access** protected

`void` function `CreateFooter::generateFTR()` [*line 121*]

Generate ftr token

- **Access** protected

void function CreateFooter::generateP() [*line 131*]

Generate w:p

- **Access** protected

void function CreateFooter::generatePTAB([*\$relativeTo* = 'margin'], [*\$alignment* = 'right'], [*\$leader* = 'none']) [*line 183*]

Function Parameters:

- *string* **\$relativeTo**
- *string* **\$alignment**
- *string* **\$leader**

Generate w:ptab

- **Access** protected

void function CreateFooter::generateR() [*line 144*]

Generate w:r

- **Access** protected

CreateFooter function CreateFooter::getInstance() [*line 83*]

- **Static**
- **Access** public

void function CreateFooter::__destruct() [*line 62*]

Destruct

- **Access** public

string function CreateFooter::__toString() [*line 72*]

- **Access** public

Class CreateFootnote

[*line 29*]

Create footnote

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateFootnote::\$init

bool = 0 [*line 37*]

- **Static**
- **Access** public

Constructor `void` function `CreateFootnote::__construct()` [*line 61*]

Construct

- **Access** public

`void` function `CreateFootnote::createDocumentFootnote($args[0])` [*line 135*]

Function Parameters:

- `array $args[0]`

Create document footnote

- **Access** public

`void` function `CreateFootnote::createFootnote($args[0])` [*line 107*]

Function Parameters:

- `array $args[0]`

Create footnote

- **Access** public

`void` function `CreateFootnote::createInitFootnote($args[0])` [*line 162*]

Function Parameters:

- *array \$args[0]*

Create init footnote

- **Access** public

void function CreateFootnote::generateFOOTNOTE(\$type) [line 181]

Function Parameters:

- *string \$type*

Generate w:footnote

- **Access** protected

void function CreateFootnote::generateFOOTNOTEREF() [line 288]

Generate w:footnoteref

- **Access** protected

void function CreateFootnote::generateFOOTNOTEREFERENCE([\$id = "]) [line 303]

Function Parameters:

- *string \$id*

Generate w:footnotereference

- **Access** protected

void function CreateFootnote::generateP([*\$rsidR* = '005F02E5'], [*\$rsidRDefault* = '005F02E5'], [*\$rsidP* = '005F02E5']) [line 210]

Function Parameters:

- *string* **\$rsidR**
- *string* **\$rsidRDefault**
- *string* **\$rsidP**

Generate w:p

- **Access** protected

void function CreateFootnote::generatePPR() [line 237]

Generate w:ppr

- **Access** protected

void function CreateFootnote::generateR() [line 274]

Generate w:r

- **Access** protected

void function CreateFootnote::generateSEPARATOR([*\$type* = 'separator']) [*line 226*]

Function Parameters:

- *string* **\$type**

Generate w:separator

- **Access** protected

void function CreateFootnote::generateSPACING([*\$after* = '0'], [*\$line* = '240'], [*\$lineRule* = 'auto']) [*line 254*]

Function Parameters:

- *string* **\$after**
- *string* **\$line**
- *string* **\$lineRule**

Generate w:spacing

- **Access** protected

CreateFootnote function CreateFootnote::getInstance() [*line 92*]

- **Static**
- **Access** public

void function CreateFootnote::__destruct() [*line 71*]

Destruct

- **Access** public

string function CreateFootnote::__toString() [line 81]

- **Access** public

Class CreateGraphic [line 29]

Create graphics (charts)

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateGraphic:::NAMESPACEWORD

= 'c' [line 31]

CreateGraphic::\$_xmlChart

<type> = [line 38]

- **Access** protected

Constructor *void* function CreateGraphic::__construct() [line 163]

Construct

- **Access** public

void function CreateGraphic::createCHARTXML(\$args[0]) *[line 1454]*

Function Parameters:

- *array* \$args[0]

Create chart xml

- **Access** protected

void function CreateGraphic::createDOCUEMNTXML(\$args[0]) *[line 1646]*

Function Parameters:

- *array* \$args[0]

Create document xml

- **Access** protected

boolean function CreateGraphic::createGraphic(\$args[0], \$args[1]) *[line 292]*

Function Parameters:

- *array* \$args[0]
- *array* \$args[1]

Create graphic

- **Access** public

void function CreateGraphic::generateAUTO([*\$val* = '1']) [line 1356]

Function Parameters:

- *string* **\$val**

Generate w:auto

- **Access** protected

void function CreateGraphic::generateAUTOTITLEDELETED([*\$val* = '1']) [line 586]

Function Parameters:

- *string* **\$val**

Generate w:autotitleddeleted

- **Access** protected

void function CreateGraphic::generateAXAXID([*\$val* = '59034624']) [line 1247]

Function Parameters:

- *<type>* **\$val**

Generate w:axId

- **Access** protected

void function CreateGraphic::generateAXID([*\$val* = '59034624']) [*line 1134*]

Function Parameters:

- *string* **\$val**

Generate w:axid

- **Access** protected

void function CreateGraphic::generateAXPOS([*\$val* = 'b']) [*line 1293*]

Function Parameters:

- *string* **\$val**

Generate w:axPos

- **Access** protected

void function CreateGraphic::generateBARCHART() [*line 663*]

Generate w:barChart

- **Access** protected

void function CreateGraphic::generateBARDIR([*\$val* = 'bar']) [*line 712*]

Function Parameters:

- *string* **\$val**

Generate w:barDir

- **Access** protected

void function CreateGraphic::generateBODYPR() [*line 430*]

Generate w:bodypr

- **Access** protected

void function CreateGraphic::generateCAT() [*line 898*]

Generate w:cat

- **Access** protected

void function CreateGraphic::generateCATAx() [*line 1215*]

Generate w:catAx

- **Access** protected

void function CreateGraphic::generateCHART() [line 602]

Generate w:chart

- **Access** protected

void function CreateGraphic::generateCHARTSPACE() [line 314]

Generate chartspace XML

- **Access** protected

void function CreateGraphic::generateCROSSAX([*\$val* = '59040512']) [line 1324]

Function Parameters:

- *string* **\$val**

Generate w:crossAx

- **Access** protected

void function CreateGraphic::generateCROSSBETWEEN([*\$val* = 'between']) [line 1437]

Function Parameters:

- *string* **\$val**

Generate w:crossBetween

- **Access** protected

void function CreateGraphic::generateCROSSES([*\$val* = 'autoZero']) [line 1340]

Function Parameters:

- *string* **\$val**

Generate w:crosses

- **Access** protected

void function CreateGraphic::generateDATE1904([*\$val* = '1']) [line 332]

Function Parameters:

- *string* **\$val**

Generate w:date1904

- **Access** protected

void function CreateGraphic::generateDEFRPR() [line 508]

Generate w:defrpr

- **Access** protected

void function CreateGraphic::generateDLBLS() [line 1165]

Generate w:dLbls

- **Access** protected

void function CreateGraphic::generateDOCUMENTCHART() [line 1196]

Generate w:chart

- **Access** protected

void function CreateGraphic::generateEXTERNALDATA([\$val = 'rId1']) [line 1043]

Function Parameters:

- *string \$val*

Generate w:externalData

- **Access** protected

void function CreateGraphic::generateF([\$val = 'Hoja1!\$B\$1']) [line 821]

Function Parameters:

- *string \$val*

Generate w:f

- **Access** protected

void function CreateGraphic::generateFIRSTSLICEANG([\$val = '0']) [line 1150]

Function Parameters:

- *string \$val*

Generate w:firstSliceAng

- **Access** protected

void function CreateGraphic::generateFORMATCODE([\$val = 'General']) [line 959]

Function Parameters:

- *string \$val*

Generate w:formatCode

- **Access** protected

void function CreateGraphic::generateGROUPING([\$val = 'stacked']) [line 728]

Function Parameters:

- *string \$val*

Generate w:grouping

- **Access** protected

void function CreateGraphic::generateIDX([\$val = '0']) [line 759]

Function Parameters:

- *string \$val*

Generate w:idx

- **Access** protected

void function CreateGraphic::generateLANG([\$val = 'es-ES']) [line 350]

Function Parameters:

- *string \$val*

Generate w:lang

- **Access** protected

void function CreateGraphic::generateLAYOUT() [line 632]

Generate w:layout

- **Access** protected

void function CreateGraphic::generateLBLALGN([*\$val* = 'ctr']) [*line 1372*]

Function Parameters:

- *string* **\$val**

Generate w:lblAlign

- **Access** protected

void function CreateGraphic::generateLBLOFFSET([*\$val* = '100']) [*line 1388*]

Function Parameters:

- *string* **\$val**

Generate w:lblOffset

- **Access** protected

void function CreateGraphic::generateLEGEND() [*line 975*]

Generate w:legend

- **Access** protected

`void function CreateGraphic::generateLEGENDFONT([$font = "]) [line 1009]`

Function Parameters:

- *string* **\$font**

Generate c:layout

- **Access** protected

`void function CreateGraphic::generateLEGENDPOS([$val = 'r']) [line 993]`

Function Parameters:

- *string* **\$val**

Generate w:legendPos

- **Access** protected

`void function CreateGraphic::generateLINECHART() [line 679]`

Generate w:lineChart

- **Access** protected

void function CreateGraphic::generateLN() [*line 1073*]

Generate w:ln

- **Access** protected

void function CreateGraphic::generateLSTSTYLE() [*line 444*]

Generate w:liststyle

- **Access** protected

void function CreateGraphic::generateMAJORGRIDLINES() [*line 1402*]

Generate w:majorGridlines

- **Access** protected

void function CreateGraphic::generateNOFILL() [*line 1087*]

Generate w:noFill

- **Access** protected

void function CreateGraphic::generateNUMCACHE() [*line 928*]

Generate w:numcache

- **Access** protected

void function CreateGraphic::generateNUMFMT([*\$formatCode* = 'General'], [*\$sourceLinked* = '1']) [line 1418]

Function Parameters:

- *string* **\$formatCode**
- *string* **\$sourceLinked**

Generate w:numFmt

- **Access** protected

void function CreateGraphic::generateNUMREF() [line 943]

Generate w:numRef

- **Access** protected

void function CreateGraphic::generateORDER([*\$val* = '0']) [line 775]

Function Parameters:

- *string* **\$val**

Generate w:order

- **Access** protected

void function CreateGraphic::generateORIENTATION([*\$val* = 'minMax']) [line 1278]

Function Parameters:

- *string \$val*

Generate w:orientation

- **Access** protected

void function CreateGraphic::generateOVERLAP([*\$val* = '100']) [line 1102]

Function Parameters:

- *string \$val*

Generate w:overlap

- **Access** protected

void function CreateGraphic::generatePIECHART() [line 647]

Generate w:piechart

- **Access** protected

void function CreateGraphic::generatePLOTAREA() [line 617]

Generate w:plotarea

- **Access** protected

`void function CreateGraphic::generatePLOTVISONLY([$val = '1']) [line 1027]`

Function Parameters:

- *string \$val*

Generate w:poltVisOnly

- **Access** protected

`void function CreateGraphic::generatePT([$idx = '0']) [line 868]`

Function Parameters:

- *string \$idx*

Generate w:pt

- **Access** protected

`void function CreateGraphic::generatePTCOUNT([$val = '1']) [line 852]`

Function Parameters:

- *string \$val*

Generate w:ptcount

- **Access** protected

void function CreateGraphic::generateRICH() [*line 415*]

Generate w:rich

- **Access** protected

void function CreateGraphic::generateSCALING() [*line 1262*]

Generate w:scaling

- **Access** protected

void function CreateGraphic::generateSER() [*line 743*]

Generate w:ser

- **Access** protected

void function CreateGraphic::generateSHAPE([*\$val* = 'box']) [*line 1118*]

Function Parameters:

- *string* **\$val**

Generate w:shape

- **Access** protected

void function CreateGraphic::generateSHOWPERCENT([*\$val* = '0']) [*line 1181*]

Function Parameters:

- *string* **\$val**

Generate w:showPercent

- **Access** protected

void function CreateGraphic::generateSPPR() [*line 1058*]

Generate w:spPr

- **Access** protected

void function CreateGraphic::generateSTRCACHE() [*line 836*]

Generate w:strcache

- **Access** protected

void function CreateGraphic::generateSTRREF() [*line 805*]

Generate w:strref

- **Access** protected

void function CreateGraphic::generateSTYLE([*\$val* = '2']) [*line 368*]

Function Parameters:

- *string* **\$val**

Generate w:style

- **Access** protected

void function CreateGraphic::generateTICKLBLPOS([*\$val* = 'nextTo']) [*line 1308*]

Function Parameters:

- *string* **\$val**

Generate w:tickLblPos

- **Access** protected

void function CreateGraphic::generateTITLE() [*line 385*]

Generate w:title

- **Access** protected

void function CreateGraphic::generateTITLELAYOUT([*\$nombre* = "]) [line 570]

Function Parameters:

- *string* **\$nombre**

Generate w:titlelayout

- **Access** protected

void function CreateGraphic::generateTITLEP() [line 459]

Generate w:titlep

- **Access** protected

void function CreateGraphic::generateTITLEPPR() [line 474]

Generate w:titleppr

- **Access** protected

void function CreateGraphic::generateTITLER() [line 523]

Generate w:titler

- **Access** protected

void function CreateGraphic::generateTITLERFONTS([*\$font* = "]) [line 490]

Function Parameters:

- *string* \$font

Generate w:titlerfonts

- **Access** protected

void function CreateGraphic::generateTITLERPR([*\$lang* = 'es-ES']) [*line 538*]

Function Parameters:

- **\$lang**

Generate w:titlerpr

- **Access** protected

void function CreateGraphic::generateTITLET([*\$nombre* = "]) [*line 554*]

Function Parameters:

- *string* \$nombre

Generate w:titlet

- **Access** protected

void function CreateGraphic::generateTITLETX() [line 400]

Generate w:titletx

- **Access** protected

void function CreateGraphic::generateTX() [line 790]

Generate w:tx

- **Access** protected

void function CreateGraphic::generateV([*\$idx* = 'Ventas']) [line 884]

Function Parameters:

- *string* **\$idx**

Generate w:v

- **Access** protected

void function CreateGraphic::generateVAL() [line 913]

Generate w:val

- **Access** protected

void function CreateGraphic::generateVALAX() [line 1230]

Generate w:valAx

- **Access** protected

void function CreateGraphic::generateVARYCOLORS([*\$val* = '1']) [line 696]

Function Parameters:

- *string* **\$val**

Generate w:varyColors

- **Access** protected

CreateGraphic function CreateGraphic::getInstance() [line 210]

- **Static**
- **Access** public

string function CreateGraphic::getName() [line 257]

Getter. Name

- **Access** public

string function CreateGraphic::getRId() [line 235]

Getter. Rid

- **Access** public

string function CreateGraphic::getXmlChart() [line 279]

Getter. Xml chart

- **Access** public

void function CreateGraphic::setName(\$name) [line 246]

Function Parameters:

- *string* \$name

Setter. Name

- **Access** public

void function CreateGraphic::setRId(\$rId) [line 224]

Function Parameters:

- *string* \$rId

Setter. Rid

- **Access** public

void function CreateGraphic::setXmlChart(\$xmlChart) [*line 268*]

Function Parameters:

- **string** \$xmlChart

Setter. Xml chart

- **Access** public

void function CreateGraphic::__destruct() [*line 189*]

Destruct

- **Access** public

string function CreateGraphic::__toString() [*line 199*]

- **Access** public

Class CreateHeader [*line 29*]

Create header

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateHeader::__construct() [*line 44*]

Construct

- **Access** public

void function CreateHeader::createHeader(0, 1) [*line 114*]

Function Parameters:

- *string* **0** args[0]
- *array* **1** args[1]

Create header

- **Access** public

void function CreateHeader::generateHDR() [*line 102*]

Generate hdr token

- **Access** protected

void function CreateHeader::generateP() [*line 88*]

Generate w:p

- **Access** protected

CreateHeader function CreateHeader::getInstance() [*line 75*]

- **Static**
- **Access** public

void function CreateHeader::__destruct() [*line 54*]

Destruct

- **Access** public

string function CreateHeader::__toString() [*line 64*]

- **Access** public

Class CreateImage [*line 29*]

Create images

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateImage::CONSTWORD

= 360000 [*line 34*]

CreateImage::NAMESPACEWORD

= 'wp' [*line 31*]

CreateImage::NAMESPACEWORD1

= 'a' [*line 32*]

CreateImage::NAMESPACEWORD2

= 'pic' [*line 33*]

CreateImage::TAMBORDER

= 12700 [*line 35*]

Constructor **void** function CreateImage::__construct() [*line 127*]

Construct

- **Access** public

void function CreateImage::createImage(\$args[0]) [*line 228*]

Function Parameters:

- **array \$args[0]**

Create image

- **Access** public

<type> function CreateImage::getInstance() [line 170]

- **Static**
- **Access** public

<type> function CreateImage::getName() [line 195]

Getter. Name

- **Access** public

<type> function CreateImage::getRId() [line 217]

Getter. Rid

- **Access** public

void function CreateImage::setName(\$name) [line 184]

Function Parameters:

- *string* \$name

Setter. Name

- **Access** public

void function CreateImage::setRId(\$rId) [*line 206*]

Function Parameters:

- **string** \$rId

Setter. Rid

- **Access** public

void function CreateImage::__destruct() [*line 149*]

Destruct

- **Access** public

string function CreateImage::__toString() [*line 159*]

- **Access** public

Class CreateLink [*line 29*]

Create links using text strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor `void` function `CreateLink::__construct()` [*line 62*]

Construct

- **Access** public

`void` function `CreateLink::createLink($arrArgs[0], $arrArgs[1], $arrArgs[2])` [*line 144*]

Function Parameters:

- `string $arrArgs[0]` Text to add
- `string $arrArgs[1]` URL to add
- `string $arrArgs[2]` RFONTS

Create a link

- **Access** public

`void` function `CreateLink::generateFLDCHAR($fldCharType)` [*line 173*]

Function Parameters:

- `string $fldCharType`

Generate w:fldChar

- **Access** protected

void function CreateLink::generateHYPERLINK(\$type) [line 188]

Function Parameters:

- *string* \$type

Generate w:hyperlink

- **Access** protected

void function CreateLink::generateINSTRTEXT([*\$link* = 'http://localhost'], *\$link.*) [line 201]

Function Parameters:

- *string* \$link. Optional, use http://localhost as default
- **\$link**

Generate w:instrText

- **Access** protected

void function CreateLink::generatePROOFERR(\$type) [line 216]

Function Parameters:

- *string* \$type

Generate w:proofErr

- **Access** protected

void function CreateLink::generateR() [line 230]

Generate w:r

- **Access** protected

void function CreateLink::generateRSTYLE(\$val) [line 255]

Function Parameters:

- *string* **\$val**

Generate w:rStyle

- **Access** protected

string function CreateLink::getFont() [line 131]

Getter. Access to font var

- **Access** public

CreateLink function CreateLink::getInstance() [line 95]

Singleton, return instance of class

- **Static**
- **Access** public

string function CreateLink::getLink() [line 109]

Getter. Access to link var

- **Access** public

string function CreateLink::getTitle() [line 120]

Getter. Access to title var

- **Access** public

void function CreateLink::__destruct() [line 72]

Destruct

- **Access** public

string function CreateLink::__toString() [line 83]

Magic method, returns current XML

- **Access** public

Class CreateList

[line 29]

Create lists

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateList::\$data

array = [line 54]

- **Access** public

CreateList::\$font

string = [line 48]

- **Access** public

CreateList::\$list

mixed = [line 36]

- **Access** public

CreateList::\$val

array = [line 42]

- **Access** public

Constructor *void* function CreateList::__construct() *[line 74]*

Construct

- **Access** public

void function CreateList::addList(\$list) *[line 148]*

Function Parameters:

- *string \$list*

Add list

- **Access** protected

void function CreateList::createList(0, 1) *[line 121]*

Function Parameters:

- *array 0 args[0]*
- *array 1 args[1]*

Create list

- **Access** public

void function CreateList::generateILFO([*\$val* = 0]) [line 159]

Function Parameters:

- *int \$val*

Generate w:ilfo

- **Access** protected

void function CreateList::generateILVL([*\$val* = "]) [line 175]

Function Parameters:

- *string \$val*

Generate w:ilvl

- **Access** protected

void function CreateList::generateLISTPR() [line 189]

Generate w:listpr

- **Access** protected

void function CreateList::generateNUMID(\$val) [*line 203*]

Function Parameters:

- *int* \$val

Generate w:numid

- **Access** protected

void function CreateList::generateNUMPR() [*line 217*]

Generate w:numpr

- **Access** protected

void function CreateList::generatePSTYLE(\$val) [*line 231*]

Function Parameters:

- *string* \$val

Generate w:pstyle

- **Access** protected

CreateList function CreateList::getInstance() [line 106]

- **Static**
- **Access** public

void function CreateList::runArray(\$dat, \$val, \$depth, [\$font = "]) [line 249]

Function Parameters:

- *array* **\$dat**
- *string* **\$val**
- *int* **\$depth**
- *string* **\$font**

Recursive generation of lists

- **Access** protected

void function CreateList::__destruct() [line 84]

Destruct

- **Access** public

string function CreateList::__toString() [line 94]

- **Access** public

Class CreatePage

[line 29]

Create pages

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreatePage::\$_xml

string = [line 36]

- **Access** protected

Constructor *void* function CreatePage::__construct() [line 50]

Construct

- **Access** public

void function CreatePage::createPage() [line 92]

Create page

- **Access** public

void function CreatePage::createSECTPR(*0*) [*line 103*]

Function Parameters:

- *array* **0** args[0]

Create sectpr

- **Access** public

void function CreatePage::generateBR([*\$type* = "]) [*line 261*]

Function Parameters:

- *string* **\$type**

Generate w:br

- **Access** protected

void function CreatePage::generateCOL([*w* = "], [*\$space* = '708']) [*line 236*]

Function Parameters:

- *string* **\$w**
- *string* **\$space**

Generate w:col

- **Deprecated**
- **Access** protected

void function CreatePage::generateCOLS([*\$num* = "], [*\$sep* = "], [*\$space* = '708'], [*\$equalWidth* = "]) [line 219]

Function Parameters:

- *string* **\$num**
- *string* **\$sep**
- *string* **\$space**
- *string* **\$equalWidth**

Generate w:cols

- **Access** protected

void function CreatePage::generateDOCGRID([*\$linepitch* = '360']) [line 247]

Function Parameters:

- *string* **\$linepitch**

Generate w:docgrid

- **Access** protected

void function CreatePage::generatePageBreak(*\$type*) [line 125]

Function Parameters:

- *string* **\$type**

Gnerate pagebreak

- **Access** public

void function CreatePage::generatePGMAR(*\$args[0]*) [line 183]

Function Parameters:

- *array \$args[0]*

Generate w:pgmar

- **Access** protected

void function CreatePage::generatePGSZ([*\$w* = '11906'], [*\$h* = '16838'], [*\$orient* = "]) [line 161]

Function Parameters:

- *string \$w*
- *string \$h*
- *string \$orient*

Generate w:pgsz

- **Access** protected

void function CreatePage::generateSECTIONSECTPR([*\$rlId* = '12240']) [line 275]

Function Parameters:

- *string* **\$rId**

Generate w:sectionsectpr

- **Access** protected

void function CreatePage::generateSECTPR([*\$rId* = '12240']) [*line 142*]

Function Parameters:

- *string* **\$rId**

Generate w:sectpr

- **Access** protected

void function CreatePage::generateTITLEPG() [*line 292*]

Generate w:titlepg

- **Access** protected

CreatePage function CreatePage::getInstance() [*line 81*]

- **Static**
- **Access** public

void function CreatePage::__destruct() [*line 60*]

Destruct

- **Access** public

string function CreatePage::__toString() [*line 70*]

- **Access** public

Class CreateSettings

[*line 29*]

Create default settings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateSettings::\$_xml

mixed = [*line 36*]

- **Access** protected

Constructor `void` function `CreateSettings::__construct()` [*line 49*]

Construct

- **Access** public

`void` function `CreateSettings::generateSettings()` [*line 92*]

Generate settings

- **Access** public

`CreateLink` function `CreateSettings::getInstance()` [*line 81*]

Singleton, return instance of class

- **Static**
- **Access** public

`void` function `CreateSettings::__destruct()` [*line 59*]

Destruct

- **Access** public

`string` function `CreateSettings::__toString()` [*line 70*]

Magic method, returns current XML

- **Access** public

Class CreateStyle [line 31]

Create styles

- **Package elements**
- **Version** 2.1
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateStyle::\$_xml

string = [line 38]

- **Access** protected

Constructor *void* function CreateStyle::__construct() [line 51]

Construct

- **Access** public

void function CreateStyle::addStyle(\$args[0]) [line 96]

Function Parameters:

- *array* **\$args[0]**

Add style

- **Access** public

void function CreateStyle::addStyleTabla(**\$param**) [line 1525]

Function Parameters:

- *array* **\$param**

Add table style

- **Access** public

void function CreateStyle::createStyle([**\$lang** = 'en-US']) [line 452]

Function Parameters:

- *string* **\$lang**

Create style

- **Access** public

void function CreateStyle::generateAUTOREDEFINE() [line 1654]

Generate w:autoredefine

- **Access** protected

void function CreateStyle::generateB() [line 2494]

Generate w:b

- **Access** protected

void function CreateStyle::generateBASEDON(\$val) [line 1582]

Function Parameters:

- *string* **\$val**

Generate w:basedon

- **Access** protected

void function CreateStyle::generateBCS() [line 2507]

Generate w:bcs

- **Access** protected

void function CreateStyle::generateBOTTOM(\$w, \$type) [line 2406]

Function Parameters:

- *string \$w*
- *string \$type*

Generate w:bottom

- **Access** protected

void function CreateStyle::generateCOLOR(\$val, [\$themeColor = "], [\$themeShade = "]) [line 2579]

Function Parameters:

- *string \$val*
- *string \$themeColor*
- *string \$themeShade*

Generate w:color

- **Access** protected

void function CreateStyle::generateCONTEXTUALSPACING() [line 1920]

Generate w:contextualspacing

- **Access** protected

void function CreateStyle::generatel([\$val = "]) [line 2521]

Function Parameters:

- *string \$val*

Generate w:i

- **Access** protected

void function CreateStyle::generateICS([&\$val = "]) [line 2540]

Function Parameters:

- *string \$val*

Generate w:ics

- **Access** protected

void function CreateStyle::generateLVL(\$val) [line 1793]

Function Parameters:

- *string \$val*

Generate w:lvl

- **Access** protected

void function CreateStyle::generateIND(\$left) [line 1949]

Function Parameters:

- *string \$left*

Generate w:ind

- **Access** protected

void function CreateStyle::generateKEEPLINES() [*line 1807*]

Generate w:keeplines

- **Access** protected

void function CreateStyle::generateKEEPNEXT() [*line 1721*]

Generate w:keepnext

- **Access** protected

void function CreateStyle::generateKERN(\$val) [*line 1906*]

Function Parameters:

- *string \$val*

Generate w:kern

- **Access** protected

void function CreateStyle::generateLEFT(\$w, \$type) [*line 2389*]

Function Parameters:

- *string* **\$w**
- *string* **\$type**

Generate w:left

- **Access** protected

void function CreateStyle::generateLINK(\$val) [*line 1612*]

Function Parameters:

- *string* **\$val**

Generate w:link

- **Access** protected

void function CreateStyle::generateNAME(\$val) [*line 1568*]

Function Parameters:

- *string* **\$val**

Generate w:name

- **Access** protected

void function CreateStyle::generateNEXT(\$val) [*line 1597*]

Function Parameters:

- *string* \$val

Generate w:next

- **Access** protected

void function CreateStyle::generateNUMPR() [*line 1779*]

Generate w:numpr

- **Access** protected

void function CreateStyle::generateOUTLINELVL(\$val) [*line 1934*]

Function Parameters:

- *string* \$val

Generate w:outlinelvl

- **Access** protected

void function CreateStyle::generatePBDR() [*line 1820*]

Generate w:pbdr

- **Access** protected

void function CreateStyle::generatePBDR_BOTTOM(\$val, \$sz, \$space, \$color, \$themeColor) [*line 1837*]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**

Generate w:pbdr

- **Access** protected

void function CreateStyle::generatePPR() [*line 1708*]

Generate w:ppr

- **Access** protected

void function CreateStyle::generateQFORMAT() [*line 1667*]

Generate w:qformat

- **Access** protected

void function CreateStyle::generateRFONTS(\$asciiTheme, \$eastAsiaTheme, \$hAnsiTheme, \$cstheme) [line 2453]

Function Parameters:

- *string \$asciiTheme*
- *string \$eastAsiaTheme*
- *string \$hAnsiTheme*
- *string \$cstheme*

Generate w:rfonts

- **Access** protected

void function CreateStyle::generateRFONTS2(\$ascii, \$hAnsi, \$cs) [line 2478]

Function Parameters:

- *string \$ascii*
- *string \$hAnsi*
- *string \$cs*

Generate w:rfonts

- **Access** protected

void function CreateStyle::generateRIGHT(\$w, \$type) [line 2423]

Function Parameters:

- *string \$w*
- *string \$type*

Generate w:right

- **Access** protected

void function CreateStyle::generateRPR() [line 2436]

Generate w:rpr

- **Access** protected

void function CreateStyle::generateRPR_SPACING(\$val) [line 1891]

Function Parameters:

- *string \$val*

Generate w:spacing

- **Access** protected

void function CreateStyle::generateRSID(\$val) [line 1681]

Function Parameters:

- *string \$val*

Generate w:rsid

- **Access** protected

void function CreateStyle::generateSEMIHIDDEN() [line 1695]

Generate w:semihidden

- **Access** protected

void function CreateStyle::generateSHD(\$val, [\$color = "], [\$fill = "], [\$themeFill = "], [\$themeFillTint = "]) [line 1981]

Function Parameters:

- *string* **\$val**
- *string* **\$color**
- *string* **\$fill**
- *string* **\$themeFill**
- *string* **\$themeFillTint**

Generate w:shd

- **Access** protected

void function CreateStyle::generateSPACING(\$before, \$after, \$line, \$lineRule) [line 1859]

Function Parameters:

- *string* **\$before**
- *string* **\$after**
- *string* **\$line**
- *string* **\$lineRule**

Generate w:spacing

- **Access** protected

void function CreateStyle::generateSTYLE(\$type, \$styleId, [\$default = "], [\$customStyle = "]) [line 1544]

Function Parameters:

- *string* **\$type**
- *string* **\$styleId**
- *string* **\$default**
- *string* **\$customStyle**

Generate w:style

- **Access** protected

void function CreateStyle::generateSZ(\$val) [line 2604]

Function Parameters:

- *string* **\$val**

Generate w:sz

- **Access** protected

void function CreateStyle::generateSZCS(\$val) [line 2619]

Function Parameters:

- *string* **\$val**

Generate w:szcs

- **Access** protected

void function CreateStyle::generateTABCENTER(\$pos) [line 1748]

Function Parameters:

- *string* \$pos

Generate w:tabcenter

- **Access** protected

void function CreateStyle::generateTABRIGHT(\$pos) [line 1764]

Function Parameters:

- *string* \$pos

Generate w:tabright

- **Access** protected

void function CreateStyle::generateTABS() [line 1734]

Generate w:tabs

- **Access** protected

void function CreateStyle::generateTBLBORDERS() [line 2069]

Generate w:tblborders

- **Access** protected

void function CreateStyle::generateTBLBORDERS_BOTTOM(\$val, [\$sz = "], [\$space = "], [\$color = "],
[\$themeColor = "], [\$themeTint = "]) [line 2180]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

Generate w:bottom

- **Access** protected

void function CreateStyle::generateTBLBORDERS_INSIDEH(\$val, [\$sz = "], [\$space = "], [\$color = "],
[\$themeColor = "], [\$themeTint = "]) [line 2272]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**

- *string* **\$themeTint**

Generate w:insideh

- **Access** protected

void function CreateStyle::generateTBLBORDERS_INSIDEV(\$val, [\$sz = "], [\$space = "], [\$color = "],
[\$themeColor = "], [\$themeTint = "]) [line 2317]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

Generate w:insidev

- **Access** protected

void function CreateStyle::generateTBLBORDERS_LEFT(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2134]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

Generate w:left

- **Access** protected

void function CreateStyle::generateTBLBORDERS_RIGHT(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2228]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

Generate w:right

- **Access** protected

void function CreateStyle::generateTBLBORDERS_TOP(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2088]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

Generate w:top

- **Access** protected

void function CreateStyle::generateTBLCELLMAR() [line 2356]

Generate w:tblcellmar

- **Access** protected

void function CreateStyle::generateTBLIND(\$w, \$type) [line 2028]

Function Parameters:

- *string* **\$w**
- *string* **\$type**

Generate w:tblind

- **Access** protected

void function CreateStyle::generateTBLPR() [line 2014]

Generate w:tblpr

- **Access** protected

void function CreateStyle::generateTBLSTYLECOLBANDSIZE(\$val) [line 2057]

Function Parameters:

- *string* **\$val**

Generate w:tblstylecolbandsize

- **Access** protected

void function CreateStyle::generateTBLSTYLEROWBANDSIZE(*\$val*) [line 2043]

Function Parameters:

- *string* **\$val**

Generate w:tblstylerowbandsize

- **Access** protected

void function CreateStyle::generateTCP()
[line 1963]

Generate w:tcp

- **Access** protected

void function CreateStyle::generateTOP(*\$w*, *\$type*) [line 2372]

Function Parameters:

- *string* **\$w**
- *string* **\$type**

Generate w:top

- **Access** protected

void function CreateStyle::generateU([*\$val* = "]) [line 2559]

Function Parameters:

- *string* **\$val**

Generate w:u

- **Access** protected

void function CreateStyle::generateUIPRIORITY(*\$val*) [line 1627]

Function Parameters:

- *string* **\$val**

Generate w:uipriority

- **Access** protected

void function CreateStyle::generateUNHIDEWHENUSED() [line 1641]

Generate w:unhidewhenused

- **Access** protected

void function CreateStyle::generateVERTALIGN([*\$val* = 'superscript']) [*line 2634*]

Function Parameters:

- *string* **\$val**

Generate w:vertAlign

- **Access** protected

CreateStyle function CreateStyle::getInstance() [*line 82*]

- **Static**
- **Access** public

void function CreateStyle::__destruct() [*line 61*]

Destruct

- **Access** public

string function CreateStyle::__toString() [*line 71*]

- **Access** public

Class CreateStyleTable

[line 29]

Create style table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateStyleTable::\$_xml

string = [line 36]

- **Access** protected

Constructor **void** function CreateStyleTable::__construct() [line 49]

Construct

- **Access** public

void function CreateStyleTable::addStyleTable(\$args[0]) [line 94]

Function Parameters:

- **array** \$args[0]

Add table style

- **Access** public

void function CreateStyleTable::generateSHD(*\$val*, [*\$color* = "], [*\$fill* = "], [*\$themeFill* = "], [*\$themeFillTint* = "]) [line 518]

Function Parameters:

- *string* **\$val**
- *string* **\$color**
- *string* **\$fill**
- *string* **\$themeFill**
- *string* **\$themeFillTint**

Generate w:shd

- **Access** protected

void function CreateStyleTable::generateTBLPR() [line 465]

Generate w:tblPr

- **Access** protected

void function CreateStyleTable::generateTBLSTYLEPR(*\$type*) [line 452]

Function Parameters:

- *string* **\$type**

Generate w:tblStylePr

- **Access** protected

void function CreateStyleTable::generateTCBORDERS() [line 497]

Generate w:tcBorders

- **Access** protected

void function CreateStyleTable::generateTCPR() [line 481]

Generate w:tcPr

- **Access** protected

CreateStyleTable function CreateStyleTable::getInstance() [line 80]

- **Static**
- **Access** public

void function CreateStyleTable::__destruct() [line 59]

Destruct

- **Access** public

string function CreateStyleTable::__toString() [line 69]

- **Access** public

Class CreateTable [line 29]

Create tables

- **Package elements**
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor `void` function `CreateTable::__construct()` [line 44]

Construct

- **Access** public

`void` function `CreateTable::addList($list)` [line 137]

Function Parameters:

- `string $list`

Add list

- **Access** protected

`void function CreateTable::createTable(0) [line 90]`

Function Parameters:

- *array* **0** args[0]

Create table

- **Access** public

`void function CreateTable::generateGRIDCOLS($w) [line 148]`

Function Parameters:

- *string* **\$w**

Generate w:gridcols

- **Access** protected

`void function CreateTable::generateHMERGE([$val = ']) [line 163]`

Function Parameters:

- *string* **\$val**

Generate w:hmerge

- **Deprecated**
- **Access** protected

void function CreateTable::generateJC([*\$val* = '']) [line 174]

Function Parameters:

- *string* **\$val**

Generate w:jc

- **Access** protected

void function CreateTable::generateP() [line 187]

Generate w:p

- **Access** protected

void function CreateTable::generateSHD([*\$val* = 'horz-cross'], [*\$color* = 'ff0000'], [*\$fill* = ''], [*\$bgcolor* = ''], [*\$themeFill* = '']) [line 204]

Function Parameters:

- *string* **\$val**
- *string* **\$color**
- *string* **\$fill**
- *string* **\$bgcolor**
- *string* **\$themeFill**

Generate w:shd

- **Access** protected

void function CreateTable::generateTBL() [*line 257*]

Generate w:tbl

- **Access** protected

void function CreateTable::generateTBLBORDERS() [*line 222*]

Generate w:tblborders

- **Access** protected

void function CreateTable::generateTBLBOTTOM([*\$val* = "single"], [*\$sz* = "4"], [*\$space* = '0'], [*\$color* = 'auto']) [*line 239*]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**

Generate w:tblbottom

- **Access** protected

void function CreateTable::generateTBLCELLSPACING([\$w = "], [\$type = "]) [line 286]

Function Parameters:

- *string \$w*
- *string \$type*

Generate w:tblcellspacing

- **Access** protected

void function CreateTable::generateTBLGRID() [line 303]

Generate w:tblgrid

- **Access** protected

void function CreateTable::generateTBLINSIDEH([\$val = "single"], [\$sz = "4"], [\$space = '0'], [\$color = 'auto']) [line 321]

Function Parameters:

- *string \$val*
- *string \$sz*
- *string \$space*
- *string \$color*

Generate w:tblinsideh

- **Access** protected

```
void function CreateTable::generateTBLINSIDEV([$val = "single"], [$sz = "4"], [$space = '0'],  
[$color = 'auto']) [line 343]
```

Function Parameters:

- *string \$val*
- *string \$sz*
- *string \$space*
- *string \$color*

Generate w:tblinsidev

- **Access** protected

```
void function CreateTable::generateTBLLEFT([$val = "single"], [$sz = "4"], [$space = '0'],  
[$color = 'auto']) [line 364]
```

Function Parameters:

- *string \$val*
- *string \$sz*
- *string \$space*
- *string \$color*

Generate w:tblleft

- **Access** protected

```
void function CreateTable::generateTBLLOOK([$val = '000001E0']) [line 382]
```

Function Parameters:

- *string \$val*

Generate w:tbllook

- **Access** protected

void function CreateTable::generateTBLOVERLAP([*\$val* = 'never']) [line 396]

Function Parameters:

- *string* **\$val**

Generate w:tbloverlap

- **Access** protected

void function CreateTable::generateTBLPR() [line 409]

Generate w:tblpr

- **Access** protected

void function CreateTable::generateTBLRIGHT([*\$val* = 'single'], [*\$sz* = '4'], [*\$space* = '0'], [*\$color* = 'auto']) [line 429]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**

Generate w:tblright

- **Access** protected

void function CreateTable::generateTBLSTYLE([*\$strVal* = 'Tablaconcuadrcula']) [line 270]

Function Parameters:

- *string* **\$strVal**

Generate w:tblstyle

- **Access** protected

void function CreateTable::generateTBLTOP([*\$val* = 'single'], [*\$sz* = '4'], [*\$space* = '0'], [*\$color* = 'auto']) [line 450]

Function Parameters:

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**

Generate w:tbltop

- **Access** protected

void function CreateTable::generateTBLW([*\$type* = 'auto'], [*\$w* = '0']) [line 469]

Function Parameters:

- *string* **\$type**
- *string* **\$w**

Generate w:tblw

- **Access** protected

void function CreateTable::generateTC() [line 483]

Generate w:tc

- **Access** protected

void function CreateTable::generateTCP() [line 495]

Generate w:tcp

- **Access** protected

void function CreateTable::generateTCW([*\$w* = "], [*\$type* = 'dxa']) [line 510]

Function Parameters:

- *string* **\$w**
- *string* **\$type**

Generate w:tcw

- **Access** protected

void function CreateTable::generateTR() [*line 524*]

Generate w:tr

- **Access** protected

void function CreateTable::generateTRPR() [*line 537*]

Generate w:trpr

- **Access** protected

void function CreateTable::generateVMERGE([*\$val* = "]) [*line 552*]

Function Parameters:

- <*type*> *\$val*

Generate w:vmerge

- **Deprecated**
- **Access** protected

CreateTable function CreateTable::getInstance() [*line 76*]

- **Static**
- **Access** public

void function CreateTable::__destruct() [*line 54*]

Destruct

- **Access** public

string function CreateTable::__toString() [*line 64*]

- **Access** public

Class CreateTableContents [*line 29*]

Create table of contents

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateTableContents::\$_xml

string = [*line 36*]

- **Access** protected

Constructor `void` function `CreateTableContents::__construct()` [*line 51*]

Construct

- **Access** public

`void` function `CreateTableContents::createTableContents($font)` [*line 97*]

Function Parameters:

- *string* **\$font**

Create table of contents

- **Access** public

`void` function `CreateTableContents::generateFLDSIMPLE([&$instr = 'TOC \o "1-4" \h \z \u'], [&$instr])` [*line 118*]

Function Parameters:

- *string* **\$instr**. Optional, 'TOC \o "1-4" \h \z \u' as default
- **\$instr**

Generate w:fldsimple

- **Access** protected

`CreateTableContents` function `CreateTableContents::getInstance()` [*line 83*]

- **Static**
- **Access** public

void function CreateTableContents::__destruct() [*line 61*]

Destruct

- **Access** public

string function CreateTableContents::__toString() [*line 72*]

Magic method, returns current XML

- **Access** public

Class CreateText [*line 29*]

Create text

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateText::IDTITLE

= 229998237 [line 31]

Constructor void function CreateText::__construct() [line 50]

Destruct

- **Access** public

void function CreateText::createText(\$args[0], \$args[1]) [line 98]

Function Parameters:

- *mixed* \$args[0]
- *array* \$args[1]

Create text

- **Access** public

void function CreateText::createTitle(\$arrArgs[0], \$arrArgs[1]) [line 162]

Function Parameters:

- *string* \$arrArgs[0]
- *array* \$arrArgs[1]

Create title

- **Access** public

void function CreateText::generateB([\$strVal = 'single'], \$val) [line 224]

Function Parameters:

- *string \$val*
- **\$strVal**

Generate w:b

- **Access** protected

void function CreateText::generateBOOKMARKEND(**\$id**) [line 395]

Function Parameters:

- *int \$id*

Generate w:bookmarkend

- **Access** protected

void function CreateText::generateBOOKMARKSTART(**\$id**, **\$name**) [line 378]

Function Parameters:

- *int \$id*
- *string \$name*

Generate w:bookmarkstart

- **Access** protected

void function CreateText::generateCOLOR([*\$val* = '000000']) [*line 238*]

Function Parameters:

- *string* **\$val**

Generate w:color

- **Access** protected

void function CreateText::generateI([*\$val* = 'single']) [*line 268*]

Function Parameters:

- *string* **\$val**

Generate w:i

- **Access** protected

void function CreateText::generateJC([*\$val* = '']) [*line 253*]

Function Parameters:

- *string* **\$val**

Generate w:jc

- **Access** protected

void function CreateText::generatePAGEBREAKBEFORE([*\$val* = 'on']) [*line 330*]

Function Parameters:

- *string* **\$val**

Generate w:pagebreakbefore

- **Access** protected

void function CreateText::generatePSTYLE([*\$val* = 'Ttulo']) [*line 314*]

Function Parameters:

- *string* **\$val**

Generate w:pstyle

- **Access** protected

void function CreateText::generateSZ([*\$val* = '11']) [*line 283*]

Function Parameters:

- *string* **\$val**

Generate w:sz

- **Access** protected

void function CreateText::generateU([*\$val* = 'single']) [line 299]

Function Parameters:

- *string* **\$val**

Generate w:u

- **Access** protected

void function CreateText::generateWIDOWCONTROL([*\$val* = 'on']) [line 346]

Function Parameters:

- *string* **\$val**

Generate w:widowcontrol

- **Access** protected

void function CreateText::generateWORDWRAP([*\$val* = 'on']) [line 362]

Function Parameters:

- *string* **\$val**

Generate w:wordwrap

- **Access** protected

CreateText function CreateText::getInstance() [line 83]

Singleton, return instance of class

- **Static**
- **Access** public

void function CreateText::__destruct() [line 60]

Destruct

- **Access** public

string function CreateText::__toString() [line 71]

Magic method, returns current XML

- **Access** public

Class CreateTheme1

[line 29]

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateTheme1::NAMESPACEWORD

= 'a' [line 31]

CreateTheme1::\$_xml

string = [line 45]

- **Access** protected

Constructor **void** function CreateTheme1::__construct() [line 52]

Construct

- **Access** public

void function CreateTheme1::createTheme(\$font) [line 97]

Function Parameters:

- **string** \$font

Create theme

- **Access** public

void function CreateTheme1::generateACCENT1() [*line 440*]

Generate a:accent1

- **Access** protected

void function CreateTheme1::generateACCENT2() [*line 453*]

Generate a:accent2

- **Access** protected

void function CreateTheme1::generateACCENT3() [*line 466*]

Generate a:accent3

- **Access** protected

void function CreateTheme1::generateACCENT4() [*line 479*]

Generate a:accent4

- **Access** protected

void function CreateTheme1::generateACCENT5() [*line 492*]

Generate a:accent5

- **Access** protected

void function CreateTheme1::generateACCENT6() [*line 505*]

Generate a:accent6

- **Access** protected

void function CreateTheme1::generateALPHA(\$val) [*line 1061*]

Function Parameters:

- *string* **\$val**

Generate a:alpha

- **Access** protected

void function CreateTheme1::generateBEVELT(\$w, \$h) [*line 1161*]

Function Parameters:

- *string* **\$w**
- *string* **\$h**

Generate a:bevelt

- **Access** protected

void function CreateTheme1::generateBGFILLSTYLELST() [line 1174]

Generate a:bgfillstylelst

- **Access** protected

void function CreateTheme1::generateCAMERA(\$prst) [line 1100]

Function Parameters:

- *string* \$prst

Generate a:camera

- **Access** protected

void function CreateTheme1::generateCLRScheme([*\$name* = 'Office']) [line 340]

Function Parameters:

- *string* \$name

Generate a:clrscheme

- **Access** protected

void function CreateTheme1::generateCS([*\$typeface* = "]) [line 609]

Function Parameters:

- *string* \$typeface

Generate a:cs

- **Access** protected

void function CreateTheme1::generateDK1() [*line 359*]

Generate a:dk1

- **Access** protected

void function CreateTheme1::generateDK2() [*line 401*]

Generate a:dk2

- **Access** protected

void function CreateTheme1::generateEA([*\$typeface* = "]) [*line 594*]

Function Parameters:

- *string* **\$typeface**

Generate a:ea

- **Access** protected

void function CreateTheme1::generateEFFECTLST() [line 1014]

Generate a:effectlst

- **Access** protected

void function CreateTheme1::generateEFFECTLST2() [line 1074]

Generate a:effectlst2

- **Access** protected

void function CreateTheme1::generateEFFECTSTYLE() [line 981]

Generate a:effectstyle

- **Access** protected

void function CreateTheme1::generateEFFECTSTYLE2() [line 999]

Generate a:effectstyle2

- **Access** protected

void function CreateTheme1::generateEFFECTSTYLELST() [line 967]

Generate a:effectstylest

- **Access** protected

void function CreateTheme1::generateEXTRACLRSCHEMELST() [line 1257]

Generate a:extraclrschemelist

- **Access** protected

void function CreateTheme1::generateFILLSTYLELST() [line 705]

Generate a:fillstylelist

- **Access** protected

void function CreateTheme1::generateFILLTORECT(\$l, \$t, \$r, \$b) [line 1225]

Function Parameters:

- *string* **\$l**
- *string* **\$t**
- *string* **\$r**
- *string* **\$b**

Generate a:filltorect

- **Access** protected

void function CreateTheme1::generateFMTSCHEME(\$name) [line 690]

Function Parameters:

- *string* **\$name**

Generate a:fmtscheme

- **Access** protected

void function CreateTheme1::generateFOLHLINK() [line 531]

Generate a:folhlink

- **Access** protected

void function CreateTheme1::generateFONT([*\$script* = "], [*\$typeface* = "]) [line 626]

Function Parameters:

- *string* **\$script**
- *string* **\$typeface**

Generate a:font

- **Access** protected

void function CreateTheme1::generateFONT2([*\$script* = "], [*\$typeface* = "]) [line 643]

Function Parameters:

- *string* **\$typeface**
- *string* **\$script** *script*

Generate a:font

- **Access** protected

void function CreateTheme1::generateFONT3([\$script = "], [\$typeface = "]) [line 661]

Function Parameters:

- *string \$script*
- *string \$typeface*

Generate a:font

- **Access** protected

void function CreateTheme1::generateFONTSHEMA([\$name = 'Office']) [line 545]

Function Parameters:

- *string \$name*

Generate a:fonthschema

- **Access** protected

void function CreateTheme1::generateGRADFILL(\$rotWithShape) [line 751]

Function Parameters:

- *string \$rotWithShape*

Generate a:gradfill

- **Access** protected

void function CreateTheme1::generateGRADFILL2(\$rotWithShape) [line 767]

Function Parameters:

- *string \$rotWithShape*

Generate a:gradfill

- **Access** protected

void function CreateTheme1::generateGS(\$pos) [line 793]

Function Parameters:

- *string \$pos*

Generate a:gs

- **Access** protected

void function CreateTheme1::generateGS2(\$pos) [line 807]

Function Parameters:

- *string \$pos*

Generate a:gs

- **Access** protected

void function CreateTheme1::generateGSLST() [*line 780*]

Generate a:gslst

- **Access** protected

void function CreateTheme1::generateHLINK() [*line 518*]

Generate a:hlink

- **Access** protected

void function CreateTheme1::generateLATIN([*\$typeface = 'cambia'*]) [*line 578*]

Function Parameters:

- *string* **\$typeface**

Generate a:latin

- **Access** protected

void function CreateTheme1::generateLIGHTRIG(\$rig, \$dir) [*line 1132*]

Function Parameters:

- *string* **\$rig**
- *string* **\$dir**

Generate a:lightrig

- **Access** protected

void function CreateTheme1::generateLIN(\$ang, \$scaled, \$val) [*line 875*]

Function Parameters:

- *string* **\$val**
- *string* **\$scaled**
- **\$ang**

Generate a:lin

- **Access** protected

void function CreateTheme1::generateLN(\$w, \$cap, \$cmpd, \$algn) [*line 907*]

Function Parameters:

- *string* **\$w**
- *string* **\$cap**
- *string* **\$cmpd**
- *string* **\$algn**

Generate a:ln

- **Access** protected

void function CreateTheme1::generateLN2(\$w, \$cap, \$cmpd, \$algn) [line 925]

Function Parameters:

- *string* **\$w**
- *string* **\$cap**
- *string* **\$cmpd**
- *string* **\$algn**

Generate a:In

- **Access** protected

void function CreateTheme1::generateLNSTYLELST() [line 888]

Generate a:Instylelst

- **Access** protected

void function CreateTheme1::generateLT1() [line 388]

Generate a:It1

- **Access** protected

void function CreateTheme1::generateLT2() [line 427]

Generate a:lt2

- **Access** protected

void function CreateTheme1::generateMAYORFONT() [*line 562*]

Generate a:mayorfont

- **Access** protected

void function CreateTheme1::generateMINORFONT() [*line 676*]

Generate a:minorfont

- **Access** protected

void function CreateTheme1::generateOBJECTDEFAULTS() [*line 1239*]

Generate a:objectdefaults

- **Access** protected

void function CreateTheme1::generateOUTERSHDW(\$blurRad, \$dist, \$dir, \$rotWithShape) [*line 1031*]

Function Parameters:

- *string* **\$blurRad**
- *string* **\$dist**
- *string* **\$dir**
- *string* **\$rotWithShape**

Generate a:outershdw

- **Access** protected

void function CreateTheme1::generatePATH(\$path) [*line 1207*]

Function Parameters:

- *string* **\$path** @path

Generate a:path

- **Access** protected

void function CreateTheme1::generatePRSTDASH(\$val) [*line 954*]

Function Parameters:

- *string* **\$val**

Generate a:prstdash

- **Access** protected

void function CreateTheme1::generateROT(\$lat, \$lon, \$rev) [*line 1117*]

Function Parameters:

- *string* **\$lat**

- *string \$lon*
- *string \$rev* @rev

Generate a:rot

- **Access** protected

void function CreateTheme1::generateSATMOD(\$val) [*line 861*]

Function Parameters:

- *string \$val*

Generate a:satmod

- **Access** protected

void function CreateTheme1::generateSCENE3D() [*line 1086*]

- **Access** protected

void function CreateTheme1::generateSCHEMECLR(\$val) [*line 737*]

Function Parameters:

- *string \$val*

Generate a:schemeclr

- **Access** protected

void function CreateTheme1::generateSCHEMECLR2(\$val) [line 820]

Function Parameters:

- *string* \$val

Generate a:schemeclr

- **Access** protected

void function CreateTheme1::generateSCHEMECLR3(\$val) [line 940]

Function Parameters:

- *string* \$val

Generate a:schemeclr3

- **Access** protected

void function CreateTheme1::generateSHADE(\$val) [line 848]

Function Parameters:

- *string* \$val

Generate a:shade

- **Access** protected

void function CreateTheme1::generateSOLIDFILL() [line 719]

Generate a:solidfill

- **Access** protected

void function CreateTheme1::generateSP3D() [line 1146]

Generate a:sp3d

- **Access** protected

void function CreateTheme1::generateSRGBCLR([val = 'windowText']) [line 415]

Function Parameters:

- *string \$val*

Generate a:srgbclr

- **Access** protected

void function CreateTheme1::generateSRGBCLR2(\$val) [line 1047]

Function Parameters:

- *string \$val*

Generate a:srgbclr2

- **Access** protected

void function CreateTheme1::generateSYSCLR([\$val = 'windowText'], [\$lastClr = '000000']) [line 375]

Function Parameters:

- *string \$val*
- *string \$lastClr*

Generate a:sysclr

- **Access** protected

void function CreateTheme1::generateTHEMEELEMENTS() [line 325]

Generate a:themeelements

- **Access** protected

void function CreateTheme1::generateTINT(\$val) [line 834]

Function Parameters:

- *string \$val*

Generate a:tint

- **Access** protected

void function CreateTheme1::generateTINT2(\$val) [line 1193]

Function Parameters:

- *string* \$val

Generate a:tint2

- **Access** protected

CreateTheme1 function CreateTheme1::getInstance() [line 83]

- **Static**
- **Access** public

void function CreateTheme1::__destruct() [line 62]

Destruct

- **Access** public

string function CreateTheme1::__toString() [line 72]

- **Access** public

Class CreateWebSettings

[line 29]

Create default websettings XML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

CreateWebSettings::\$_xml

mixed = [line 36]

- **Access** protected

Constructor *void* function CreateWebSettings::__construct() [line 49]

Construct

- **Access** public

void function CreateWebSettings::generateWebSettings() [line 94]

Main tags of websettings XML

- **Access** public

CreateWebSettings function CreateWebSettings::getInstance() [line 81]

Singleton, return instance of class

- **Static**
- **Access** public

void function CreateWebSettings::__destruct() [line 59]

Destruct

- **Access** public

string function CreateWebSettings::__toString() [line 70]

Magic method, returns current XML

- **Access** public

Class CreateXlsx

[line 28]

Create XLSX

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

Constructor *void* function CreateXlsx::__construct() [*line 67*]

Construct

- **Access** public

void function CreateXlsx::addSharedStrings(\$args[1]) [*line 210*]

Function Parameters:

- *array* \$args[1]

Add shared strings

- **Access** protected

void function CreateXlsx::addSheet(\$args[1]) [*line 225*]

Function Parameters:

- *array* \$args[1]

Add sheet

- **Access** protected

void function CreateXlsx::addTable(\$args[0], \$args[1]) [line 195]

Function Parameters:

- *array* \$args[0]
- *array* \$args[1]

Add table

- **Access** protected

bool function CreateXlsx::createXlsx() [line 112]

Create XLSX

- **Access** public

CreateXlsx function CreateXlsx::getInstance() [line 98]

- **Static**
- **Access** public

void function CreateXlsx::__destruct() [line 77]

Destruct

- **Access** public

string function CreateXlsx::__toString() [line 87]

- **Access** public

Class TransformDoc [line 33]

Transform DOCX to PDF or XHTML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

TransformDoc::SCHEMA_IMAGEDOCUMENT

=

'<http://schemas.openxmlformats.org/officeDocument/2006/relationships/image>' [line 35]

TransformDoc::SCHEMA_OFFICEDOCUMENT

=

'<http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument>' [line 37]

Constructor *void* function TransformDoc::__construct() [line 52]

Construct

- **Access** public

string function TransformDoc::absoluteZipPath(\$path) [line 132]

Function Parameters:

- **\$path**

Return zip path

- **Access** public

void function TransformDoc::cleanXHTML() [line 156]

Clean HTML

- **Access** public

void function TransformDoc::generatePDF() [line 275]

Convert DOCX to PDF, using dompdf. DOCX->XHTML->PDF

- **Access** public

void function TransformDoc::generateXHTML() [line 194]

Convert DOCX to XHTML

- **Access** public

void function TransformDoc::getFileName() [line 176]

Return file name

- **Access** public

void function TransformDoc::getstrFile() [line 72]

Getter. File

- **Access** public

void function TransformDoc::getStrOutputFile() [line 92]

Getter. Output file

- **Access** public

void function TransformDoc::getStrXHTML() [line 82]

Getter. XHTML

- **Access** public

void function TransformDoc::setstrFile(\$file) [line 102]

Function Parameters:

- **\$file**

Setter. File

- **Access** public

void function TransformDoc::setStrOutputFile(\$outputFile) [line 121]

Function Parameters:

- *string* **\$outputFile**

- **Access** public

void function TransformDoc::setStrXHTML(\$strXHTML) [line 112]

Function Parameters:

- **\$strXHTML**

Setter. XHTML

- **Access** public

void function TransformDoc::validatorXHTML() [line 297]

Validate HTML using tidy

- **Access** public

void function TransformDoc::__destruct() [*line 62*]

Destruct

- **Access** public

Package loader Procedural Elements

AutoLoader.inc

Autoloader

- **Package** loader
- **Version** 2.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 2.0
- **License** GPL

Package loader Classes

Class AutoLoader

[line 28]

Autoloader

- **Package** loader
- **Version** 2.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 2.0
- **License** http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php

void function AutoLoader::load() [line 80]

Main tags of relationships XML

- **Static**
- **Access** public

void function AutoLoader::loadPDF() [line 86]

- **Static**
- **Access** public

Appendices

Appendix A - Class Trees

Package elements

CreateElement

- [CreateElement](#)
 - [CreateChartRels](#)
 - [CreateExcelSharedStrings](#)
 - [CreateExcelSheet](#)
 - [CreateExcelTable](#)
 - [CreateFontTable](#)
 - [CreateFooter](#)
 - [CreateFootnote](#)
 - [CreateGraphic](#)
 - [CreateHeader](#)
 - [CreateImage](#)
 - [CreateLink](#)
 - [CreateList](#)
 - [CreatePage](#)
 - [CreateSettings](#)
 - [CreateStyle](#)
 - [CreateStyleTable](#)
 - [CreateTable](#)
 - [CreateTableContents](#)
 - [CreateText](#)
 - [CreateTheme1](#)
 - [CreateWebSettings](#)

CreateXlsx

- [CreateXlsx](#)

TransformDoc

- [TransformDoc](#)

Package loader

AutoLoader

- [AutoLoader](#)

Package create

CreateDocx

- [CreateDocx](#)

Index

A

AutoLoader::loadPDF()	216
AutoLoader::load()	216
<i>Main tags of relationships XML</i>	
AutoLoader	216
<i>Autoloader</i>	
AutoLoader.inc	215
<i>Autoloader</i>	

C

CreateStyle::generateCOLOR()	145
<i>Generate w:color</i>	
CreateStyle::generateCONTEXTUALSPACING()	145
<i>Generate w:contextualspacing</i>	
CreateStyle::generateI()	145
<i>Generate w:i</i>	
CreateStyle::generateICS()	146
<i>Generate w:ics</i>	
CreateStyle::generateBOTTOM()	144
<i>Generate w:bottom</i>	
CreateStyle::generateBCS()	144
<i>Generate w:bcs</i>	
CreateStyle::generateAUTOREDEFINE()	144
<i>Generate w:autoredefine</i>	
CreateStyle::generateB()	144
<i>Generate w:b</i>	
CreateStyle::generateBASEDON()	144
<i>Generate w:basedon</i>	
CreateStyle::generateILVL()	146
<i>Generate w:ilvl</i>	
CreateStyle::generateIND()	146
<i>Generate w:ind</i>	
CreateStyle::generateNAME()	148
<i>Generate w:name</i>	
CreateStyle::generateNEXT()	149
<i>Generate w:next</i>	
CreateStyle::generateNUMPR()	149
<i>Generate w:numpr</i>	
CreateStyle::generateLINK()	148
<i>Generate w:link</i>	
CreateStyle::generateLEFT()	148
<i>Generate w:left</i>	
CreateStyle::generateKEEPINES()	147

<i>Generate w:keeplines</i>	
CreateStyle::generateKEEPNEXT()	147
<i>Generate w:keepnext</i>	
CreateStyle::generateKERN()	147
<i>Generate w:kern</i>	
CreateStyle::createStyle()	143
<i>Create style</i>	
CreateStyle::addStyleTabla()	143
<i>Add table style</i>	
CreatePage::__destruct()	140
<i>Destruct</i>	
CreatePage::__toString()	140
CreateSettings	140
<i>Create default settings</i>	
CreatePage::getInstance()	139
CreatePage::generateTITLEPG()	139
<i>Generate w:titlepg</i>	
CreatePage::generatePGSZ()	138
<i>Generate w:pgsz</i>	
CreatePage::generateSECTIONSECTPR()	138
<i>Generate w:sectionsectpr</i>	
CreatePage::generateSECTPR()	139
<i>Generate w:sectpr</i>	
CreateSettings::__xml	140
constructor CreateSettings::__construct()	141
<i>Construct</i>	
CreateStyle::__xml	142
constructor CreateStyle::__construct()	142
<i>Construct</i>	
CreateStyle::addStyle()	142
<i>Add style</i>	
CreateStyle	142
<i>Create styles</i>	
CreateSettings::__toString()	141
<i>Magic method, returns current XML</i>	
CreateSettings::generateSettings()	141
<i>Generate settings</i>	
CreateSettings::getInstance()	141
<i>Singleton, return instance of class</i>	
CreateSettings::__destruct()	141
<i>Destruct</i>	
CreateStyle::generateOUTLINELVL()	149
<i>Generate w:outlinelvl</i>	
CreateStyle::generatePBDR()	150
<i>Generate w:pbdr</i>	
CreateStyle::generateTBLCELLMAR()	159
<i>Generate w:tblcellmar</i>	
CreateStyle::generateTBLIND()	159
<i>Generate w:tblind</i>	
CreateStyle::generateTBLPR()	159
<i>Generate w:tblpr</i>	
CreateStyle::generateTBLSTYLECOLBANDSIZE()	159
<i>Generate w:tblstylecolbandsize</i>	

CreateStyle::generateTBLBORDERS_TOP()	158
Generate w:top	
CreateStyle::generateTBLBORDERS_RIGHT()	158
Generate w:right	
CreateStyle::generateTBLBORDERS_INSIDEH()	156
Generate w:insideh	
CreateStyle::generateTBLBORDERS_INSIDEV()	157
Generate w:insidev	
CreateStyle::generateTBLBORDERS_LEFT()	157
Generate w:left	
CreateStyle::generateTBLSTYLEROWBANDSIZE()	160
Generate w:tblstylerowbandsize	
CreateStyle::generateTCPRE()	160
Generate w:tcp	
CreateStyle::getInstance()	162
CreateStyle::destruct()	162
Destruct	
CreateStyle::toString()	162
CreateStyle::generateVERTALIGN()	162
Generate w:vertAlign	
CreateStyle::generateUNHIDEWHENUSED()	161
Generate w:unhidewhenused	
CreateStyle::generateTOP()	160
Generate w:top	
CreateStyle::generateU()	161
Generate w:u	
CreateStyle::generateUIPRIORITY()	161
Generate w:uipriority	
CreateStyle::generateTBLBORDERS_BOTTOM()	156
Generate w:bottom	
CreateStyle::generateTBLBORDERS()	156
Generate w:tblborders	
CreateStyle::generateRIGHT()	151
Generate w:right	
CreateStyle::generateRPR()	152
Generate w:rpr	
CreateStyle::generateRPR_SPACING()	152
Generate w:spacing	
CreateStyle::generateRFONTS2()	151
Generate w:rfonts	
CreateStyle::generateRFONTS()	151
Generate w:fonts	
CreateStyle::generatePBDR_BOTTOM()	150
Generate w:pbdr	
CreateStyle::generatePPR()	150
Generate w:ppr	
CreateStyle::generateQFORMAT()	150
Generate w:qformat	
CreateStyle::generateRSID()	152
Generate w:rsid	
CreateStyle::generateSEMIHIDDEN()	153
Generate w:semihidden	
CreateStyle::generateTABCENTER()	155

<i>Generate w:tabcenter</i>	
CreateStyle::generateTABRIGHT()	155
<i>Generate w:tabright</i>	
CreateStyle::generateTABS()	155
<i>Generate w:tabs</i>	
CreateStyle::generateSZCS()	154
<i>Generate w:szcs</i>	
CreateStyle::generateSZ()	154
<i>Generate w:sz</i>	
CreateStyle::generateSHD()	153
<i>Generate w:shd</i>	
CreateStyle::generateSPACING()	153
<i>Generate w:spacing</i>	
CreateStyle::generateSTYLE()	154
<i>Generate w:style</i>	
CreatePage::generatePGMAR()	138
<i>Generate w:pgmar</i>	
CreatePage::generatePageBreak()	137
<i>Gnerate pagebreak</i>	
CreateImage::NAMESPACEWORD1	123
CreateImage::NAMESPACEWORD2	123
CreateImage::TAMBORDER	123
constructor CreateImage:: construct()	123
<i>Construct</i>	
CreateImage::NAMESPACEWORD	123
CreateImage::CONSTWORD	123
CreateHeader:: destruct()	122
<i>Destruct</i>	
CreateHeader:: toString()	122
CreateImage	122
<i>Create images</i>	
CreateImage::createImage()	123
<i>Create image</i>	
CreateImage::getInstance()	124
CreateImage:: toString()	125
CreateLink	125
<i>Create links using text strings</i>	
constructor CreateLink:: construct()	126
<i>Construct</i>	
CreateImage:: destruct()	125
<i>Destruct</i>	
CreateImage::setRId()	125
<i>Setter. Rid</i>	
CreateImage::getName()	124
<i>Getter. Name</i>	
CreateImage::getRId()	124
<i>Getter. Rid</i>	
CreateImage::setName()	124
<i>Setter. Name</i>	
CreateHeader::getInstance()	122
CreateHeader::generateP()	122
<i>Generate w:p</i>	
CreateGraphic::getInstance()	118

CreateGraphic::getName()	118
<i>Getter. Name</i>	
CreateGraphic::getRId()	118
<i>Getter. Rid</i>	
CreateGraphic::generateVARYCOLORS()	118
<i>Generate w:varyColors</i>	
CreateGraphic::generateVALAX()	118
<i>Generate w:valAx</i>	
CreateGraphic::generateTX()	117
<i>Generate w:tx</i>	
CreateGraphic::generateV()	117
<i>Generate w:v</i>	
CreateGraphic::generateVAL()	117
<i>Generate w:val</i>	
CreateGraphic::getXmlChart()	119
<i>Getter. Xml chart</i>	
CreateGraphic::setName()	119
<i>Setter. Name</i>	
constructor CreateHeader::__construct()	121
<i>Construct</i>	
CreateHeader::createHeader()	121
<i>Create header</i>	
CreateHeader::generateHDR()	121
<i>Generate hdr token</i>	
CreateHeader	120
<i>Create header</i>	
CreateGraphic::__toString()	120
CreateGraphic::setRId()	119
<i>Setter. Rid</i>	
CreateGraphic::setXmlChart()	120
<i>Setter. Xml chart</i>	
CreateGraphic::__destruct()	120
<i>Destruct</i>	
CreateLink::createLink()	126
<i>Create a link</i>	
CreateLink::generateFLDCHAR()	126
<i>Generate w:fldChar</i>	
CreateList::getInstance()	134
CreateList::runArray()	134
<i>Recursive generation of lists</i>	
CreateList::__destruct()	134
<i>Destruct</i>	
CreateList::generatePSTYLE()	133
<i>Generate w:pstyle</i>	
CreateList::generateNUMPR()	133
<i>Generate w:numpr</i>	
CreateList::generateILVL()	132
<i>Generate w:ilvl</i>	
CreateList::generateLISTPR()	132
<i>Generate w:listpr</i>	
CreateList::generateNUMID()	133
<i>Generate w:numid</i>	
CreateList::__toString()	134

CreatePage	135
Create pages	
CreatePage::generateCOL()	136
Generate w:col	
CreatePage::generateCOLS()	137
Generate w:cols	
CreatePage::generateDOCGRID()	137
Generate w:docgrid	
CreatePage::generateBR()	136
Generate w:br	
CreatePage::createSECTPR()	136
Create sectpr	
CreatePage::\$ xml	135
constructor CreatePage:: construct()	135
Construct	
CreatePage::createPage()	135
Create page	
CreateList::generateILFO()	132
Generate w:ilfo	
CreateList::createList()	131
Create list	
CreateLink::getFont()	128
Getter. Access to font var	
CreateLink::getInstance()	128
Singleton, return instance of class	
CreateLink::getLink()	129
Getter. Access to link var	
CreateLink::generateRSTYLE()	128
Generate w:rStyle	
CreateLink::generateR()	128
Generate w:r	
CreateLink::generateHYPERLINK()	127
Generate w:hyperlink	
CreateLink::generateINSTRTEXT()	127
Generate w:instrText	
CreateLink::generatePROOFERR()	127
Generate w:proofErr	
CreateLink::getTitle()	129
Getter. Access to title var	
CreateLink:: destruct()	129
Destruct	
CreateList::\$val	131
constructor CreateList:: construct()	131
Construct	
CreateList::addList()	131
Add list	
CreateList::\$list	130
CreateList::\$font	130
CreateLink:: toString()	129
Magic method, returns current XML	
CreateList	130
Create lists	
CreateList::\$data	130

<u>CreateStyleTable</u>	163
Create style table		
<u>CreateStyleTable::\$ xml</u>	163
<u>CreateTheme1::generateGRADFILL2()</u>	194
Generate a:gradfill		
<u>CreateTheme1::generateGS()</u>	194
Generate a:gs		
<u>CreateTheme1::generateGS2()</u>	194
Generate a:gs		
<u>CreateTheme1::generateGSLST()</u>	195
Generate a:gslst		
<u>CreateTheme1::generateGRADFILL()</u>	193
Generate a:gradfill		
<u>CreateTheme1::generateFONTSCHHEMA()</u>	193
Generate a:fonthschema		
<u>CreateTheme1::generateFONT()</u>	192
Generate a:font		
<u>CreateTheme1::generateFONT2()</u>	192
Generate a:font		
<u>CreateTheme1::generateFONT3()</u>	193
Generate a:font		
<u>CreateTheme1::generateHLINK()</u>	195
Generate a:hlink		
<u>CreateTheme1::generateLATIN()</u>	195
Generate a:latin		
<u>CreateTheme1::generateLT1()</u>	197
Generate a:lt1		
<u>CreateTheme1::generateLT2()</u>	197
Generate a:lt2		
<u>CreateTheme1::generateMAYORFONT()</u>	198
Generate a:mayorfont		
<u>CreateTheme1::generateLNSTYLELST()</u>	197
Generate a:lnstylelst		
<u>CreateTheme1::generateLN2()</u>	197
Generate a:ln		
<u>CreateTheme1::generateLIGHTRIG()</u>	196
Generate a:lightrig		
<u>CreateTheme1::generateLIN()</u>	196
Generate a:lin		
<u>CreateTheme1::generateLN()</u>	196
Generate a:ln		
<u>CreateTheme1::generateFOLHLINK()</u>	192
Generate a:folhlink		
<u>CreateTheme1::generateFMTSCHEME()</u>	191
Generate a:fmtscheme		
<u>CreateTheme1::generateCLRScheme()</u>	188
Generate a:clrscheme		
<u>CreateTheme1::generateCS()</u>	188
Generate a:cs		
<u>CreateTheme1::generateDK1()</u>	189
Generate a:dk1		
<u>CreateTheme1::generateCAMERA()</u>	188
Generate a:camera		

CreateTheme1::generateBGFILLSTYLELST()	188
Generate a:bgfillstylelst	
CreateTheme1::generateACCENT6()	187
Generate a:accent6	
CreateTheme1::generateALPHA()	187
Generate a:alpha	
CreateTheme1::generateBEVELT()	187
Generate a:bevelt	
CreateTheme1::generateDK2()	189
Generate a:dk2	
CreateTheme1::generateEA()	189
Generate a:ea	
CreateTheme1::generateEXTRACLRSCHEMELST()	191
Generate a:extraclrsschemelst	
CreateTheme1::generateFILLSTYLELST()	191
Generate a:fillstylelst	
CreateTheme1::generateFILLTORECT()	191
Generate a:filltorect	
CreateTheme1::generateEFFECTSTYLELST()	190
Generate a:effectstylelst	
CreateTheme1::generateEFFECTSTYLE2()	190
Generate a:effectstyle2	
CreateTheme1::generateEFFECTLST()	190
Generate a:effectlst	
CreateTheme1::generateEFFECTLST2()	190
Generate a:effectlst2	
CreateTheme1::generateEFFECTSTYLE()	190
Generate a:effectstyle	
CreateTheme1::generateMINORFONT()	198
Generate a:minorfont	
CreateTheme1::generateOBJECTDEFAULTS()	198
Generate a:objectdefaults	
CreateWebSettings::getInstance()	206
Singleton, return instance of class	
CreateWebSettings::__destruct()	206
Destruct	
CreateWebSettings::__toString()	206
Magic method, returns current XML	
CreateWebSettings::generateWebSettings()	205
Main tags of websettings XML	
constructor CreateWebSettings::__construct()	205
Construct	
CreateTheme1::__toString()	204
CreateWebSettings	205
Create default websettings XML	
CreateWebSettings::\$_xml	205
CreateXlsx	206
Create XLSX	
constructor CreateXlsx::__construct()	207
Construct	
CreateXlsx::__destruct()	208
Destruct	
CreateXlsx::__toString()	209

constructor TransformDoc:: construct()	209
<i>Construct</i>	
CreateXlsx::getInstance()	208
CreateXlsx::createXlsx()	208
<i>Create XLSX</i>	
CreateXlsx::addSharedStrings()	207
<i>Add shared strings</i>	
CreateXlsx::addSheet()	207
<i>Add sheet</i>	
CreateXlsx::addTable()	208
<i>Add table</i>	
CreateTheme1:: destruct()	204
<i>Destruct</i>	
CreateTheme1::getInstance()	204
CreateTheme1::generateSCENE3D()	200
CreateTheme1::generateSCHEMECLR()	200
<i>Generate a:schemeclr</i>	
CreateTheme1::generateSCHEMECLR2()	201
<i>Generate a:schemeclr</i>	
CreateTheme1::generateSATMOD()	200
<i>Generate a:satmod</i>	
CreateTheme1::generateROT()	199
<i>Generate a:rot</i>	
CreateTheme1::generateOUTERSHDW()	198
<i>Generate a:outershdw</i>	
CreateTheme1::generatePATH()	199
<i>Generate a:path</i>	
CreateTheme1::generatePRSTDASH()	199
<i>Generate a:prstdash</i>	
CreateTheme1::generateSCHEMECLR3()	201
<i>Generate a:schemeclr3</i>	
CreateTheme1::generateSHADE()	201
<i>Generate a:shade</i>	
CreateTheme1::generateTHEMEELEMENTS()	203
<i>Generate a:themeelements</i>	
CreateTheme1::generateTINT()	203
<i>Generate a:tint</i>	
CreateTheme1::generateTINT2()	204
<i>Generate a:tint2</i>	
CreateTheme1::generateSYSCLR()	203
<i>Generate a:sysclr</i>	
CreateTheme1::generateSRGBCLR2()	202
<i>Generate a:srgbclr2</i>	
CreateTheme1::generateSOLIDFILL()	202
<i>Generate a:solidfill</i>	
CreateTheme1::generateSP3D()	202
<i>Generate a:sp3d</i>	
CreateTheme1::generateSRGBCLR()	202
<i>Generate a:srgbclr</i>	
CreateTheme1::generateACCENT5()	186
<i>Generate a:accent5</i>	
CreateTheme1::generateACCENT4()	186
<i>Generate a:accent4</i>	

CreateTable::generateTBLINSIDEV()	171
Generate <i>w:tblinsidev</i>	
CreateTable::generateTBLLEFT()	171
Generate <i>w:tblleft</i>	
CreateTable::generateTBLLOOK()	171
Generate <i>w:tbllook</i>	
CreateTable::generateTBLOVERLAP()	172
Generate <i>w:tbloverlap</i>	
CreateTable::generateTBLINSIDEH()	170
Generate <i>w:tblinsideh</i>	
CreateTable::generateTBLGRID()	170
Generate <i>w:tblgrid</i>	
CreateTable::generateTBLBORDERS()	169
Generate <i>w:tblborders</i>	
CreateTable::generateTBLBOTTOM()	169
Generate <i>w:tblbottom</i>	
CreateTable::generateTBLCELLSPACING()	170
Generate <i>w:tblcellspacing</i>	
CreateTable::generateTBLPR()	172
Generate <i>w:tblpr</i>	
CreateTable::generateTBLRIGHT()	172
Generate <i>w:tblright</i>	
CreateTable::generateTCW()	174
Generate <i>w:tcw</i>	
CreateTable::generateTR()	175
Generate <i>w:tr</i>	
CreateTable::generateTRPR()	175
Generate <i>w:trpr</i>	
CreateTable::generateTCPR()	174
Generate <i>w:tcp</i>	
CreateTable::generateTC()	174
Generate <i>w:tc</i>	
CreateTable::generateTBLSTYLE()	173
Generate <i>w:tblstyle</i>	
CreateTable::generateTBLTOP()	173
Generate <i>w:tbltop</i>	
CreateTable::generateTBLW()	173
Generate <i>w:tblw</i>	
CreateTable::generateTBL()	169
Generate <i>w:tbl</i>	
CreateTable::generateSHD()	168
Generate <i>w:shd</i>	
CreateStyleTable::generateTCBORDERS()	165
Generate <i>w:tcBorders</i>	
CreateStyleTable::generateTCPR()	165
Generate <i>w:tcPr</i>	
CreateStyleTable::getInstance()	165
CreateStyleTable::generateTBLSTYLEPR()	164
Generate <i>w:tblStylePr</i>	
CreateStyleTable::generateTBLPR()	164
Generate <i>w:tblPr</i>	
constructor CreateStyleTable::__construct()	163
Construct	

CreateStyleTable::addStyleTable()	163
<i>Add table style</i>	
CreateStyleTable::generateSHD()	164
<i>Generate w:shd</i>	
CreateStyleTable:: destruct()	165
<i>Destruct</i>	
CreateStyleTable:: toString()	165
CreateTable::generateHMERGE()	167
<i>Generate w:hmerge</i>	
CreateTable::generateJC()	168
<i>Generate w:jc</i>	
CreateTable::generateP()	168
<i>Generate w:p</i>	
CreateTable::generateGRIDCOLS()	167
<i>Generate w:gridcols</i>	
CreateTable::createTable()	167
<i>Create table</i>	
CreateTable	166
<i>Create tables</i>	
constructor CreateTable:: construct()	166
<i>Construct</i>	
CreateTable::addList()	166
<i>Add list</i>	
CreateTable::generateVMERGE()	175
<i>Generate w:vmerge</i>	
CreateTable::getInstance()	175
CreateText::generateWIDOWCONTROL()	183
<i>Generate w:widowcontrol</i>	
CreateText::generateWORDWRAP()	183
<i>Generate w:wordwrap</i>	
CreateText::getInstance()	184
<i>Singleton, return instance of class</i>	
CreateText::generateU()	183
<i>Generate w:u</i>	
CreateText::generateSZ()	182
<i>Generate w:sz</i>	
CreateText::generateJC()	181
<i>Generate w:jc</i>	
CreateText::generatePAGEBREAKBEFORE()	182
<i>Generate w:pagebreakbefore</i>	
CreateText::generatePSTYLE()	182
<i>Generate w:pstyle</i>	
CreateText:: destruct()	184
<i>Destruct</i>	
CreateText:: toString()	184
<i>Magic method, returns current XML</i>	
CreateTheme1::generateACCENT1()	186
<i>Generate a:accent1</i>	
CreateTheme1::generateACCENT2()	186
<i>Generate a:accent2</i>	
CreateTheme1::generateACCENT3()	186
<i>Generate a:accent3</i>	
CreateTheme1::createTheme()	185

<i>Create theme</i>	
constructor CreateTheme1:: construct()	185
<i>Construct</i>	
CreateTheme1	184
CreateTheme1::NAMESPACEWORD	185
CreateTheme1::\$ xml	185
CreateText::generatel()	181
<i>Generate w:i</i>	
CreateText::generateCOLOR()	181
<i>Generate w:color</i>	
CreateTableContents::createTableContents()	177
<i>Create table of contents</i>	
CreateTableContents::generateFLDSIMPLE()	177
<i>Generate w:fldsimple</i>	
CreateTableContents::getInstance()	177
constructor CreateTableContents:: construct()	177
<i>Construct</i>	
CreateTableContents::\$ xml	176
CreateTable:: destruct()	175
<i>Destruct</i>	
CreateTable:: toString()	176
CreateTableContents	176
<i>Create table of contents</i>	
CreateTableContents:: destruct()	178
<i>Destruct</i>	
CreateTableContents:: toString()	178
<i>Magic method, returns current XML</i>	
CreateText::generateB()	179
<i>Generate w:b</i>	
CreateText::generateBOOKMARKEND()	180
<i>Generate w:bookmarkend</i>	
CreateText::generateBOOKMARKSTART()	180
<i>Generate w:bookmarkstart</i>	
CreateText::createTitle()	179
<i>Create title</i>	
CreateText::createText()	179
<i>Create text</i>	
CreateText	178
<i>Create text</i>	
CreateText::IDTITLE	179
constructor CreateText:: construct()	179
<i>Destruct</i>	
CreateGraphic::generateTITLETX()	117
<i>Generate w:titletx</i>	
CreateGraphic::generateTITLET()	116
<i>Generate w:titlet</i>	
CreateChartRels:: toString()	54
<i>Magic method, returns current XML</i>	
CreateElement	54
<i>Main class, create tag elements</i>	
CreateElement::MATHNAMESPACEWORD	55
CreateElement::NAMESPACEWORD	55
CreateChartRels:: destruct()	54

<i>Destruct</i>	
CreateChartRels::getInstance()	54
<i>Singleton, return instance of class</i>	
CreateChartRels::createRelationship()	53
<i>Create relationship document to use in DOCX file</i>	
CreateChartRels::generateRELATIONSHIP()	53
<i>New relationship, added to relationships XML</i>	
CreateChartRels::generateRELATIONSHIPS()	53
<i>Main tags of relationships XML</i>	
CreateElement::\$_xml	55
constructor CreateElement::__construct()	55
<i>Construct</i>	
CreateElement::generateBCS()	57
<i>Generate w:bcs</i>	
CreateElement::generateBLIP()	57
<i>Generate w:blip</i>	
CreateElement::generateBLIPFILL()	57
<i>Generate w:blipfill</i>	
CreateElement::generateB()	56
<i>Generate w:b</i>	
CreateElement::generateAVLST()	56
<i>Generate w:avlst</i>	
CreateElement::cleanTemplate()	55
<i>Delete pending tags</i>	
CreateElement::cleanTemplateFirstRPR()	55
<i>Delete first w:rpr</i>	
CreateElement::generateANCHOR()	56
<i>Generate w:anchor</i>	
constructor CreateChartRels::__construct()	52
<i>Construct</i>	
CreateChartRels::\$_xml	52
CreateLink.inc	39
<i>Create links using text strings</i>	
CreateList.inc	40
<i>Create lists</i>	
CreatePage.inc	41
<i>Create pages</i>	
CreateImage.inc	38
<i>Create images</i>	
CreateHeader.inc	37
<i>Create header</i>	
CreateFooter.inc	34
<i>Create footer</i>	
CreateFootnote.inc	35
<i>Create footnote</i>	
CreateGraphic.inc	36
<i>Create graphics (charts)</i>	
CreateSettings.inc	42
<i>Create default settings</i>	
CreateStyle.inc	43
<i>Create styles</i>	
CreateWebSettings.inc	49
<i>Create default websettings XML</i>	

CreateXlsx.inc	50
Create XLSX		
CreateChartRels	52
Create relationships used by images, charts...		
CreateTheme1.inc	48
CreateText.inc	47
Create text		
CreateStyleTable.inc	44
Create style table		
CreateTable.inc	45
Create tables		
CreateTableContents.inc	46
Create table of contents		
CreateElement::generateCNVGRAPHICFRAMEPR()	57
Generate w:cnvgraphicframepr		
CreateElement::generateCNVPICPR()	58
Generate w:cnpicpr		
CreateElement::generatePSTYLE()	66
Generate w:pstyle		
CreateElement::generateQUITAR()	66
Generate w:r		
CreateElement::generateR()	67
Generate w:r		
CreateElement::generatePRSTGEOM()	66
Generate w:prstgeom		
CreateElement::generatePRSTDASH()	65
Generate w:prstdash		
CreateElement::generatePOSITIONV()	64
Generate w:positionv		
CreateElement::generatePOSOFFSET()	65
Generate w:posoffset		
CreateElement::generatePPR()	65
Generate w:ppr		
CreateElement::generateRFONTS()	67
Generate w:rfonts		
CreateElement::generateRPR()	67
Generate w:rpr		
CreateElement::generateSTART()	69
Generate w:start		
CreateElement::generateSTRETCH()	69
Generate w:stretch		
CreateElement::generateT()	69
Generate w:t		
CreateElement::generateSPPR()	69
Generate w:sppr		
CreateElement::generateSOLIDFILL()	68
Generate w:solidfill		
CreateElement::generateRSTYLE()	67
Generate w:rstyle		
CreateElement::generateSCHEMECLR()	68
Generate w:schemeclr		
CreateElement::generateSIMPLEPOS()	68
Generate w:simplepos		

CreateElement::generatePOSITIONH()	64
Generate w:positionh	
CreateElement::generatePIC()	64
Generate w:pic	
CreateElement::generateEXTENT()	60
Generate w:extent	
CreateElement::generateFILLRECT()	60
Generate w:fillrect	
CreateElement::generateGRAPHIC()	60
Generate w:graphic	
CreateElement::generateEXT()	59
Generate w:ext	
CreateElement::generateEFFECTEXTENT()	59
Generate w:effectextent	
CreateElement::generateCNVPR()	58
Generate w:cnpvr	
CreateElement::generateDOCPR()	58
Generate w:docpr	
CreateElement::generateDRAWING()	59
Generate w:drawing	
CreateElement::generateGRAPHICDATA()	61
Generate w:graphicdata	
CreateElement::generateGRAPHICPFRAMELOCKS()	61
Generate w:graphicframelocks	
CreateElement::generateNVPICPR()	63
Generate w:nvpicpr	
CreateElement::generateOFF()	63
Generate w:off	
CreateElement::generateP()	63
Generate w:p	
CreateElement::generateNOPROOF()	63
Generate w:noproof	
CreateElement::generateLN()	62
Generate w:ln	
CreateElement::generateINLINE()	61
Generate w:inline	
CreateElement::generateJC()	62
Generate w:jc	
CreateElement::generateLINETO()	62
Generate w:lineto	
CreateFontTable.inc	33
Create font table	
CreateExcelTable.inc	32
Create excel table	
CreateDocx::fAddBreak()	11
Add a break	
CreateDocx::fAddFont()	11
Add a new font	
CreateDocx::fAddFooter()	11
Add a footer	
CreateDocx::fAddGraphic()	12
Add a graphic	
CreateDocx::createDocx()	10

<i>Generate a new DOCX file</i>	
CreateDocx::addTitle()	10
<i>Add a title</i>	
CreateDocx::addTable()	9
<i>Add a table.</i>	
CreateDocx::addTableContents()	9
<i>Add a table of contents (TOC)</i>	
CreateDocx::addText()	9
<i>Add a text</i>	
CreateDocx::fAddHeader()	12
<i>Add a header.</i>	
CreateDocx::fAddImage()	12
<i>Add an image</i>	
CreateDocx::fAddTable()	15
<i>Add a table.</i>	
CreateDocx::fAddTableContents()	15
<i>Add a table of contents (TOC)</i>	
CreateDocx::fAddText()	15
<i>Add a text</i>	
CreateDocx::fAddParagraph()	14
<i>Add a paragraph</i>	
CreateDocx::fAddMathEq()	14
<i>Add an existing math eq to DOCX</i>	
CreateDocx::fAddLink()	13
<i>Add a link</i>	
CreateDocx::fAddList()	13
<i>Add a list</i>	
CreateDocx::fAddMathDocx()	14
<i>Convert a math eq to DOCX</i>	
CreateDocx::addParagraph()	8
<i>Add a paragraph</i>	
CreateDocx::addMathEq()	8
<i>Add an existing math eq to DOCX</i>	
CreateDocx::\$graphicTemplate	4
CreateDocx::\$intIdWord	4
CreateDocx::\$log	4
CreateDocx::\$fileGraphicTemplate	3
CreateDocx::SCHEMA_OFFICEDOCUMENT	3
CreateDocx	3
<i>Main class. Methods and vars to generate a DOCX file</i>	
CreateDocx::NAMESPACEWORD	3
CreateDocx::SCHEMA_IMAGEDOCUMENT	3
constructor CreateDocx::__construct()	4
<i>Construct</i>	
CreateDocx::addBreak()	5
<i>Add a break</i>	
CreateDocx::addLink()	7
<i>Add a link</i>	
CreateDocx::addList()	7
<i>Add a list</i>	
CreateDocx::addMathDocx()	8
<i>Convert a math eq to DOCX</i>	
CreateDocx::addImage()	6

<i>Add an image</i>	
CreateDocx::addHeader()	6
<i>Add a header.</i>	
CreateDocx::addFont()	5
<i>Add a new font</i>	
CreateDocx::addFooter()	5
<i>Add a footer</i>	
CreateDocx::addGraphic()	6
<i>Add a graphic</i>	
CreateDocx::fAddTitle()	16
<i>Add a title</i>	
CreateDocx::fCreateDocx()	16
<i>Generate a new DOCX file</i>	
CreateDocx::setXmlWordFooter1()	23
<i>Setter</i>	
CreateDocx::setXmlWordHeader1()	24
<i>Setter</i>	
CreateDocx::setXmlWordRelsDocumentRels()	24
<i>Setter</i>	
CreateDocx::setXmlWordFontTable()	23
<i>Setter</i>	
CreateDocx::setXmlWordEndnotes()	23
<i>Setter</i>	
CreateDocx::setXmlDocPropsCore()	22
<i>Setter</i>	
CreateDocx::setXmlRelsRels()	22
<i>Setter</i>	
CreateDocx::setXmlWordDocument()	22
<i>Setter</i>	
CreateDocx::setXmlWordSettings()	24
<i>Setter</i>	
CreateDocx::setXmlWordStyles()	25
<i>Setter</i>	
CreateElement.inc	29
<i>Create tag elements</i>	
CreateExcelSharedStrings.inc	30
<i>Generate excel shared strings</i>	
CreateExcelSheet.inc	31
<i>Create excel sheet</i>	
CreateChartRels.inc	28
<i>Create relationships used by images, charts...</i>	
CreateDocx::__toString()	26
<i>Magic method, returns current word XML</i>	
CreateDocx::setXmlWordThemeTheme1()	25
<i>Setter</i>	
CreateDocx::setXmlWordWebSettings()	25
<i>Setter</i>	
CreateDocx::__destruct()	26
<i>Destruct</i>	
CreateDocx::setXmlDocPropsApp()	21
<i>Setter</i>	
CreateDocx::setXmlContentTypes()	21
<i>Setter</i>	

CreateDocx::getXmlWordDocumentContent()	18
Getter	
CreateDocx::getXmlWordEndnotes()	18
Getter	
CreateDocx::getXmlWordFontTable()	18
Getter	
CreateDocx::getXmlRels_Rels()	18
Getter	
CreateDocx::getXmlDocPropsCore()	17
Getter	
CreateDocx::fSetFont()	17
Change the default font	
CreateDocx::getXmlContentTypes()	17
Getter	
CreateDocx::getXmlDocPropsApp()	17
Getter	
CreateDocx::getXmlWordFooter1()	18
Getter	
CreateDocx::getXmlWordHeader1()	19
Getter	
CreateDocx::setDefaultFont()	20
Change the default font	
CreateDocx::setEncodeUTF8()	20
Transform to UTF-8 charset	
CreateDocx::setLanguage()	21
Change default language.	
CreateDocx::getXmlWordWebSettings()	20
Setter	
CreateDocx::getXmlWordThemeTheme1()	20
Getter	
CreateDocx::getXmlWordRelsDocumentRels()	19
Getter	
CreateDocx::getXmlWordSettings()	19
Getter	
CreateDocx::getXmlWordStyles()	19
Getter	
CreateElement::generateWRAPNONE()	70
Generate w:wrapnone	
CreateElement::generateWRAPPOLYGON()	70
Generate w:wrappolygon	
CreateGraphic::generateCHARTSPACE()	101
Generate chartspace XML	
CreateGraphic::generateCROSSAX()	101
Generate w:crossAx	
CreateGraphic::generateCROSSBETWEEN()	101
Generate w:crossBetween	
CreateGraphic::generateCROSSES()	102
Generate w:crosses	
CreateGraphic::generateCHART()	101
Generate w:chart	
CreateGraphic::generateCATAx()	100
Generate w:catAx	
CreateGraphic::generateBARDIR()	100

<i>Generate w:barDir</i>	
CreateGraphic::generateBODYPR()	100
<i> Generate w:bodypr</i>	
CreateGraphic::generateCAT()	100
<i> Generate w:cat</i>	
CreateGraphic::generateDATE1904()	102
<i> Generate w:date1904</i>	
CreateGraphic::generateDEFRPR()	102
<i> Generate w:defrpr</i>	
CreateGraphic::generateFORMATCODE()	104
<i> Generate w:formatCode</i>	
CreateGraphic::generateGROUPING()	104
<i> Generate w:grouping</i>	
CreateGraphic::generateIDX()	105
<i> Generate w:idx</i>	
CreateGraphic::generateFIRSTSLICEANG()	104
<i> Generate w:firstSliceAng</i>	
CreateGraphic::generateF()	103
<i> Generate w:f</i>	
CreateGraphic::generateDLBLS()	103
<i> Generate w:dLbls</i>	
CreateGraphic::generateDOCUMENTCHART()	103
<i> Generate w:chart</i>	
CreateGraphic::generateEXTERNALDATA()	103
<i> Generate w:externalData</i>	
CreateGraphic::generateBARCHART()	99
<i> Generate w:barChart</i>	
CreateGraphic::generateAXPOS()	99
<i> Generate w:axPos</i>	
CreateFootnote:: destruct()	95
<i> Destruct</i>	
CreateFootnote:: toString()	96
CreateGraphic	96
<i> Create graphics (charts)</i>	
CreateFootnote::getInstance()	95
CreateFootnote::generateSPACING()	95
<i> Generate w:spacing</i>	
CreateFootnote::generatePPR()	94
<i> Generate w:ppr</i>	
CreateFootnote::generateR()	94
<i> Generate w:r</i>	
CreateFootnote::generateSEPARATOR()	95
<i> Generate w:separator</i>	
CreateGraphic::NAMESPACEWORD	96
CreateGraphic::\$ xmlChart	96
CreateGraphic::generateAUTOTITLEDELETED()	98
<i> Generate w:autotitledeleted</i>	
CreateGraphic::generateAXAXID()	98
<i> Generate w:axId</i>	
CreateGraphic::generateAXID()	99
<i> Generate w:axid</i>	
CreateGraphic::generateAUTO()	98
<i> Generate w:auto</i>	

CreateGraphic::createGraphic()	97
<i>Create graphic</i>		
constructor CreateGraphic::__construct()	96
<i>Construct</i>		
CreateGraphic::createCHARTXML()	97
<i>Create chart xml</i>		
CreateGraphic::createDOCUEMNTXML()	97
<i>Create document xml</i>		
CreateGraphic::generateLANG()	105
<i>Generate w:lang</i>		
CreateGraphic::generateLAYOUT()	105
<i>Generate w:layout</i>		
CreateGraphic::generateSHOWPERCENT()	113
<i>Generate w:showPercent</i>		
CreateGraphic::generateSPPR()	113
<i>Generate w:spPr</i>		
CreateGraphic::generateSTRCACHE()	113
<i>Generate w:strcache</i>		
CreateGraphic::generateSHAPE()	112
<i>Generate w:shape</i>		
CreateGraphic::generateSER()	112
<i>Generate w:ser</i>		
CreateGraphic::generatePTCOUNT()	111
<i>Generate w:ptcount</i>		
CreateGraphic::generateRICH()	112
<i>Generate w:rich</i>		
CreateGraphic::generateSCALING()	112
<i>Generate w:scaling</i>		
CreateGraphic::generateSTRREF()	113
<i>Generate w:strref</i>		
CreateGraphic::generateSTYLE()	114
<i>Generate w:style</i>		
CreateGraphic::generateTITLER()	115
<i>Generate w:titler</i>		
CreateGraphic::generateTITLERFONTS()	115
<i>Generate w:titlerfonts</i>		
CreateGraphic::generateTITLERPR()	116
<i>Generate w:titlerpr</i>		
CreateGraphic::generateTITLEPPR()	115
<i>Generate w:titleppr</i>		
CreateGraphic::generateTITLEP()	115
<i>Generate w:titlep</i>		
CreateGraphic::generateTICKLBLPOS()	114
<i>Generate w:tickLblPos</i>		
CreateGraphic::generateTITLE()	114
<i>Generate w:title</i>		
CreateGraphic::generateTITLELAYOUT()	115
<i>Generate w:titlelayout</i>		
CreateGraphic::generatePT()	111
<i>Generate w:pt</i>		
CreateGraphic::generatePLOTVISONLY()	111
<i>Generate w:poltVisOnly</i>		
CreateGraphic::generateLINECHART()	107

<i>Generate w:lineChart</i>	
CreateGraphic::generateLN()	108
<i>Generate w:ln</i>	
CreateGraphic::generateLSTSTYLE()	108
<i>Generate w:lststyle</i>	
CreateGraphic::generateLEGENDPOS()	107
<i>Generate w:legendPos</i>	
CreateGraphic::generateLEGENDFONT()	107
<i>Generate c:layout</i>	
CreateGraphic::generateLBLALGN()	106
<i>Generate w:lblAlign</i>	
CreateGraphic::generateLBLOFFSET()	106
<i>Generate w:lblOffset</i>	
CreateGraphic::generateLEGEND()	106
<i>Generate w:legend</i>	
CreateGraphic::generateMAJORGRIDLINES()	108
<i>Generate w:majorGridlines</i>	
CreateGraphic::generateNOFILL()	108
<i>Generate w:noFill</i>	
CreateGraphic::generateOVERLAP()	110
<i>Generate w:overlap</i>	
CreateGraphic::generatePIECHART()	110
<i>Generate w:piechart</i>	
CreateGraphic::generatePLOTAREA()	110
<i>Generate w:plotarea</i>	
CreateGraphic::generateORIENTATION()	109
<i>Generate w:orientation</i>	
CreateGraphic::generateORDER()	109
<i>Generate w:order</i>	
CreateGraphic::generateNUMCACHE()	108
<i>Generate w:numcache</i>	
CreateGraphic::generateNUMFMT()	109
<i>Generate w:numFmt</i>	
CreateGraphic::generateNUMREF()	109
<i>Generate w:numRef</i>	
CreateFootnote::generateP()	94
<i>Generate w:p</i>	
CreateFootnote::generateFOOTNOTEREFERENCE()	93
<i>Generate w:footnoterefERENCE</i>	
CreateExcelSheet::generateSELECTION()	78
<i>Generate selection</i>	
CreateExcelSheet::generateSHEETDATA()	78
<i>Generate sheetdata</i>	
CreateExcelSheet::generateSHEETFORMATPR()	78
<i>Generate sheetformatpr</i>	
CreateExcelSheet::generateSHEETVIEW()	79
<i>Generate sheetview</i>	
CreateExcelSheet::generateROW()	77
<i>Generate row</i>	
CreateExcelSheet::generatePAGESETUP()	77
<i>Generate pagesetup</i>	
CreateExcelSheet::generateCOLS()	76
<i>Generate cols</i>	

CreateExcelSheet::generateDIMENSION()	76
Generate dimension	
CreateExcelSheet::generatePAGEMARGINS()	77
Generate pagemargins	
CreateExcelSheet::generateSHEETVIEWS()	79
Generate sheetviews	
CreateExcelSheet::generateTABLEPART()	79
Generate tablepart	
CreateExcelSheet::__toString()	81
CreateExcelTable	81
Create excel table	
constructor CreateExcelTable::__construct()	82
Construct	
CreateExcelSheet::__destruct()	81
Destruct	
CreateExcelSheet::getInstance()	81
CreateExcelSheet::generateTABLEPARTS()	80
Generate tableparts	
CreateExcelSheet::generateV()	80
Generate v	
CreateExcelSheet::generateWORKSHEET()	80
Generate worksheet	
CreateExcelSheet::generateCOL()	76
Generate col	
CreateExcelSheet::generateC()	75
Generate c	
CreateElement::__toString()	72
CreateExcelSharedStrings	72
Generate excel shared strings	
constructor CreateExcelSharedStrings::__construct()	72
Construct	
CreateElement::__destruct()	71
Destruct	
CreateElement::generateXFRM()	71
Generate w:xfrm	
CreateElement::generateWRAPSQUARE()	70
Generate w:wapsquare	
CreateElement::generateWRAPTHROUGH()	71
Generate w:wrapthrough	
CreateElement::generateWRAPTOPANDBOTTOM()	71
Generate w:wraptopandbottom	
CreateExcelSharedStrings::createExcelSharedStrings()	72
Create excel shared strings	
CreateExcelSharedStrings::generateSI()	73
Generate si	
CreateExcelSheet	74
Create excel sheet	
constructor CreateExcelSheet::__construct()	75
Construct	
CreateExcelSheet::createExcelSheet()	75
Create excel sheet	
CreateExcelSharedStrings::__toString()	74
CreateExcelSharedStrings::__destruct()	74

<i>Destruct</i>	
CreateExcelSharedStrings::generateSST()	73
<i>Generate sst</i>	
CreateExcelSharedStrings::generateT()	73
<i>Generate t</i>	
CreateExcelSharedStrings::getInstance()	74
CreateExcelTable::createExcelTable()	82
<i>Create excel table</i>	
CreateExcelTable::generateTABLE()	82
<i>Generate table</i>	
CreateFooter::generatePTAB()	90
<i>Generate w:ptab</i>	
CreateFooter::generateR()	90
<i>Generate w:r</i>	
CreateFooter::getInstance()	90
CreateFooter::generateP()	90
<i>Generate w:p</i>	
CreateFooter::generateFTR()	89
<i>Generate ftr token</i>	
constructor CreateFooter:: __construct()	89
<i>Construct</i>	
CreateFooter::createFooter()	89
<i>Create footer</i>	
CreateFooter::generateFLDSIMPLE()	89
<i>Generate w:fldsimple</i>	
CreateFooter:: __destruct()	91
<i>Destruct</i>	
CreateFooter:: __toString()	91
CreateFootnote::createInitFootnote()	92
<i>Create init footnote</i>	
CreateFootnote::generateFOOTNOTE()	93
<i>Generate w:footnote</i>	
CreateFootnote::generateFOOTNOTEREF()	93
<i>Generate w:footnoteref</i>	
CreateFootnote::createFootnote()	92
<i>Create footnote</i>	
CreateFootnote::createDocumentFootnote()	92
<i>Create document footnote</i>	
CreateFootnote	91
<i>Create footnote</i>	
CreateFootnote::\$init	91
constructor CreateFootnote:: __construct()	92
<i>Construct</i>	
CreateFooter	88
<i>Create footer</i>	
CreateFontTable:: __toString()	88
CreateExcelTable:: __toString()	84
CreateFontTable	84
<i>Create font table</i>	
CreateFontTable::\$ xml	85
CreateExcelTable:: __destruct()	84
<i>Destruct</i>	
CreateExcelTable::getInstance()	84

CreateExcelTable::generateTABLECOLUMN()	82
<i>Generate tablecolumn</i>	
CreateExcelTable::generateTABLECOLUMNS()	83
<i>Generate tablecolumns</i>	
CreateExcelTable::generateTABLESTYLEINFO()	83
<i>Generate tablestyleinfo</i>	
constructor CreateFontTable:: construct()	85
<i>Construct</i>	
CreateFontTable::createFont()	85
<i>Create font</i>	
CreateFontTable::generateSIG()	87
<i>Generate w:sig</i>	
CreateFontTable::getInstance()	88
CreateFontTable:: destruct()	88
<i>Destruct</i>	
CreateFontTable::generatePITCH()	87
<i>Generate w:pitch</i>	
CreateFontTable::generatePANOSE1()	86
<i>Generate w:panose1</i>	
CreateFontTable::generateCHARSET()	85
<i>Generate w:charset</i>	
CreateFontTable::generateFAMILY()	86
<i>Generate w:family</i>	
CreateFontTable::generateFONT()	86
<i>Generate w:font</i>	
CreateDocx.inc	2
<i>Generate a DOCX file</i>	

T

TransformDoc::setstrFile()	211
<i>Setter. File</i>	
TransformDoc::getStrXHTML()	211
<i>Getter. XHTML</i>	
TransformDoc::getStrOutputFile()	211
<i>Getter. Output file</i>	
TransformDoc::setStrOutputFile()	212
TransformDoc::setStrXHTML()	212
<i>Setter. XHTML</i>	
TransformDoc:: destruct()	213
<i>Destruct</i>	
TransformDoc::validatorXHTML()	212
<i>Validate HTML using tidy</i>	
TransformDoc::getstrFile()	211
<i>Getter. File</i>	
TransformDoc::getFileName()	211
<i>Return file name</i>	
TransformDoc::SCHEMA_OFFICEDOCUMENT	209
TransformDoc::SCHEMA_IMAGEDOCUMENT	209
TransformDoc	209
<i>Transform DOCX to PDF or XHTML</i>	
TransformDoc::absoluteZipPath()	210

<i>Return zip path</i>	
TransformDoc::cleanXHTML()	210
<i>Clean HTML</i>	
TransformDoc::generateXHTML()	210
<i>Convert DOCX to XHTML</i>	
TransformDoc::generatePDF()	210
<i>Convert DOCX to PDF, using dompdf. DOCX->XHTML->PDF</i>	
TransformDoc.inc	51
<i>Transform DOCX to PDF or XHTML</i>	